

Press **CTRL + F** to search



This document details the light efficacy performance for Thorlux luminaires in luminaire lumens per circuit watt (LL/CW). This is a measure of the total amount of light produced by the luminaire, which is then divided by the total power consumed. It is important that when making comparisons between luminaires from different manufacturers that the data presented is in the same format in order to make a fair judgement.

NOTE - All LED circuit wattage is based on fixed output control gear, apart from Smart versions which are based on dimmable DALI control gear. For other types of control gear please contact our Technical Department.

Circuit Watts

The total power consumed in the lighting circuits by the lamps and their associated control gear.

Luminaire Lumens

A measure of the total amount of light produced by the luminaire after all losses, such as optical losses, have been taken into account. This measure is the total amount of light being emitted into the space.

LL/CW

Luminaire lumens per circuit watt is calculated by dividing the luminaire lumens with the circuit watts.

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
A-Line LED - 20W - Acrylic Cover	AL020LAM	22	3880	176.4
A-Line LED - 20W - Polycarbonate Cover	AL020LPM	22	3670	166.8
A-Line LED - 41W - Acrylic Cover	AL041LAM	44	7480	170.0
A-Line LED - 41W - Polycarbonate Cover	AL041LPM	44	7070	160.7
A-Line LED - 56W - Acrylic Cover	AL056LAM	65	10535	162.1
A-Line LED - 56W - Polycarbonate Cover	AL056LPM	65	9960	153.2
A-Line LED Ligature-Resistant - 16W - 1200mm - Polycarbonate - Broad Distribution	AL20225	21	3030	144.3
A-Line LED Ligature-Resistant - 20W - 1500mm - Polycarbonate - Broad Distribution	AL20228	25	4300	172.0
A-Line LED Ligature-Resistant - 26W - 1200mm - Polycarbonate - Broad Distribution	AL20226	32	4970	155.3
A-Line LED Ligature-Resistant - 32W - 1500mm - Polycarbonate - Broad Distribution	AL20229	42	6870	163.6
A-Line LED Ligature-Resistant - 41W - 1500mm - Polycarbonate - Broad Distribution	AL20230	49	8145	166.2
A-Line LED Ligature-Resistant - 44W - 1200mm - Polycarbonate - Broad Distribution	AL20227	55	7920	144.0
A-Line Pro - 101W - 1500mm - Acrylic - Broad Distribution	AP101LAB	114	18025	158.1
A-Line Pro - 101W - 1500mm - Acrylic - Narrow Distribution	AP101LAN	114	17645	154.8
A-Line Pro - 101W - 1500mm - Polycarbonate - Broad Distribution	AP101LPB	114	17455	153.1
A-Line Pro - 101W - 1500mm - Polycarbonate - Narrow Distribution	AP101LPN	114	17085	149.9
A-Line Pro - 16W - 1200mm - Acrylic - Broad Distribution	AP016MAB	21	3130	149.0
A-Line Pro - 16W - 1200mm - Acrylic - Narrow Distribution	AP016MAN	21	3065	146.0
A-Line Pro - 16W - 1200mm - Polycarbonate - Broad Distribution	AP016MPB	21	3030	144.3
A-Line Pro - 16W - 1200mm - Polycarbonate - Narrow Distribution	AP016MPN	21	2965	141.2
A-Line Pro - 20W - 1500mm - Acrylic - Broad Distribution	AP020LAB	25	4440	177.6
A-Line Pro - 20W - 1500mm - Acrylic - Narrow Distribution	AP020LAN	25	4345	173.8
A-Line Pro - 20W - 1500mm - Polycarbonate - Broad Distribution	AP020LPB	25	4300	172.0
A-Line Pro - 20W - 1500mm - Polycarbonate - Narrow Distribution	AP020LPN	25	4210	168.4
A-Line Pro - 26W - 1200mm - Acrylic - Broad Distribution	AP026MAB	32	5130	160.3
A-Line Pro - 26W - 1200mm - Acrylic - Narrow Distribution	AP026MAN	32	5020	156.9
A-Line Pro - 26W - 1200mm - Polycarbonate - Broad Distribution	AP026MPB	32	4970	155.3
A-Line Pro - 26W - 1200mm - Polycarbonate - Narrow Distribution	AP026MPN	32	4865	152.0
A-Line Pro - 32W - 1500mm - Acrylic - Broad Distribution	AP032LAB	42	7095	168.9
A-Line Pro - 32W - 1500mm - Acrylic - Narrow Distribution	AP032LAN	42	6945	165.4
A-Line Pro - 32W - 1500mm - Polycarbonate - Broad Distribution	AP032LPB	42	6870	163.6
A-Line Pro - 32W - 1500mm - Polycarbonate - Narrow Distribution	AP032LPN	42	6725	160.1
A-Line Pro - 41W - 1500mm - Acrylic - Broad Distribution	AP041LAB	49	8410	171.6
A-Line Pro - 41W - 1500mm - Acrylic - Narrow Distribution	AP041LAN	49	8235	168.1
A-Line Pro - 41W - 1500mm - Polycarbonate - Broad Distribution	AP041LPB	49	8145	166.2
A-Line Pro - 41W - 1500mm - Polycarbonate - Narrow Distribution	AP041LPN	49	7975	162.8

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
A-Line Pro - 44W - 1200mm - Acrylic - Broad Distribution	AP044MAB	55	8180	148.7
A-Line Pro - 44W - 1200mm - Acrylic - Narrow Distribution	AP044MAN	55	8010	145.6
A-Line Pro - 44W - 1200mm - Polycarbonate - Broad Distribution	AP044MPB	55	7920	144.0
A-Line Pro - 44W - 1200mm - Polycarbonate - Narrow Distribution	AP044MPN	55	7755	141.0
A-Line Pro - 56W - 1200mm - Acrylic - Broad Distribution	AP056MAB	71	11540	162.5
A-Line Pro - 56W - 1200mm - Acrylic - Narrow Distribution	AP056MAN	71	11295	159.1
A-Line Pro - 56W - 1200mm - Polycarbonate - Broad Distribution	AP056MPB	71	11175	157.4
A-Line Pro - 56W - 1200mm - Polycarbonate - Narrow Distribution	AP056MPN	71	10940	154.1
Arcadian - 21W 3000K	AN17074	25	2555	102.2
Arcadian - 21W 4000K	AN17075	25	2705	108.2
Arcadian - 27W 3000K	AN19208	34	3375	99.3
Arcadian - 27W 4000K	AN19209	34	3565	104.9
Clara 180 - 20W	CA15854	23	3095	134.6
Clara 180 - 20W - Smart	CA19183	23	3095	134.6
Clara 180 uplight only - 10W	CA15853	13	1560	120.0
Clara 180 uplight only - 10W - Smart	CA19182	13	1560	120.0
Clara 360 - 20W	CA15625	23	3050	132.6
Clara 360 RGB- 20W	CA15628	23	3050	132.6
Clara 360 RGB Smart - 20W	CA15631	23	3050	132.6
Clara 360 Smart - 20W	CA15626	23	3050	132.6
Clara 360 White Halo - 20W	CA15634	23	3050	132.6
Clara 360 White Halo Smart - 20W	CA15637	23	3050	132.6
Clara 720 - 100W Opal Suspended	CA17393	116	13080	112.8
Clara 720 - 100W Opal Suspended - Smart	CA17391	116	13080	112.8
Clara 720 - 100W Satin Suspended	CA17286	116	14395	124.1
Clara 720 - 100W Satin Suspended - Smart	CA17284	116	14395	124.1
Clara 720 - 52W Opal Surface	CA17396	60	6705	111.8
Clara 720 - 52W Opal Surface - Smart	CA17394	60	6705	111.8
Clara 720 - 52W Satin Surface	CA17289	60	7290	121.5
Clara 720 - 52W Satin Surface - Smart	CA17287	60	7290	121.5
Clara 720 - 59W Opal Suspended	CA17392	68	7790	114.6
Clara 720 - 59W Opal Suspended - Smart	CA17390	68	7790	114.6
Clara 720 - 59W Satin Suspended	CA17285	68	8235	121.1
Clara 720 - 59W Satin Suspended - Smart	CA17283	68	8235	121.1
Clara 720 - 80W Opal Surface	CA17397	92	10380	112.8
Clara 720 - 80W Opal Surface - Smart	CA17395	92	10380	112.8
Clara 720 - 80W Satin Surface	CA17290	92	11695	127.1
Clara 720 - 80W Satin Surface - Smart	CA17288	92	11695	127.1
Clara 90 - 10W	CA15851	13	1160	89.2
Clara 90 - 20W	CA15852	23	2020	87.8
Cleanline LED LG7 Polycarbonate - 26W - Ra80	CZ18000	30	3165	105.5
Cleanline LED LG7 Polycarbonate - 26W - Ra90	CZ19032	30	2550	85.0
Cleanline LED LG7 Polycarbonate - 38W - Ra80	CZ18001	43	4365	101.5
Cleanline LED LG7 Polycarbonate - 38W - Ra90	CZ19033	43	3570	83.0
Cleanline LED LG7 Polycarbonate Smart - 26W - Ra80	CZ17998	30	3165	105.5
Cleanline LED LG7 Polycarbonate Smart - 26W - Ra90	CZ19026	30	2550	85.0
Cleanline LED LG7 Polycarbonate Smart - 38W - Ra80	CZ17999	43	4365	101.5
Cleanline LED LG7 Polycarbonate Smart - 38W - Ra90	CZ19027	43	3570	83.0
Cleanline LED Opal Polycarbonate - 26W - Ra80	CZ17002	30	3490	116.3
Cleanline LED Opal Polycarbonate - 26W - Ra90	CZ19034	30	2685	89.5
Cleanline LED Opal Polycarbonate - 38W - Ra80	CZ17003	43	4805	111.7
Cleanline LED Opal Polycarbonate - 38W - Ra90	CZ19035	43	3750	87.2
Cleanline LED Opal Polycarbonate Smart - 26W - Ra80	CZ17000	30	3490	116.3

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Cleanline LED Opal Polycarbonate Smart - 26W - Ra90	CZ19028	30	2685	89.5
Cleanline LED Opal Polycarbonate Smart - 38W - Ra80	CZ17001	43	4805	111.7
Cleanline LED Opal Polycarbonate Smart - 38W - Ra90	CZ19029	43	3750	87.2
Cloud 10 - 63W - 4000K	CD19703	68	11015	162.0
Cloud 10 - 63W - Smart - 4000K	CD19703	68	11015	162.0
Cloud 4 - 29W - Colour Active	CD19700CA	35	4170	119.1
Cloud 4 - 29W - Colour Control	CD19700CC	35	4170	119.1
Cloud 4 - 30W - 4000K	CD19701	34	4170	122.6
Cloud 4 - 30W - Smart - 4000K	CD19701	34	4170	122.6
Cloud 7 - 54W - 4000K	CD19702	62	7520	121.3
Cloud 7 - 54W - Smart - 4000K	CD19702	62	7520	121.3
Cobalt LED Satin Hood - 15W - 4000K	CT19015	18	1020	56.7
Cobalt LED Satin Hood & Grill - 15W - 4000K	CT19016	18	855	47.5
Cobalt LED Satin Plain - 11W - 4000K	CT19516	14	1490	106.4
Cobalt LED Satin Plain - 16W - 4000K	CT19517	20	2070	103.5
Cobalt LED Satin Plain - 16W - 4000K - Ligature Resistant	CT16114	20	2070	103.5
Cobalt LED Satin Plain & Grill - 11W - 4000K	CT19518	14	1285	91.8
Cobalt LED Satin Plain & Grill - 16W - 4000K	CT19519	20	1795	89.8
Comboseal LED - 137W	CS18481	147	22410	152.4
Comboseal LED - 98W	CS18480	106	16555	156.2
Comboseal LED Smart - 137W	CS18478	147	22410	152.4
Comboseal LED Smart - 98W	CS18477	106	16555	156.2
Comboseal Plus LED - 160W - Broad Distribution - Normal Ambient	CS20275	167	27580	165.1
Comboseal Plus LED - 250W - Broad Distribution - Normal Ambient	CS20276	268	41100	153.4
Cornisa - 22W - 4000K	CN20236	25	3000	120.0
Cornisa - 36W - 4000K	CN20237	41	4620	112.7
Cornisa - 43W - 4000K	CN20238	49	5755	117.4
Dot LED - Opal Cover - 13W	DOT17666	16	1865	116.6
Dot LED - Opal Cover - 14W	DOT16573	18	1910	106.1
Dot LED - Opal Cover - 17W	DOT16499	20	2465	123.3
Dot LED - Opal Cover Smart - 13W	DOT17657	16	1865	116.6
Dot LED - Opal Cover Smart - 14W	DOT16826	18	1910	106.1
Dot LED - Opal Cover Smart - 17W	DOT16493	20	2465	123.3
Dot LED - RGB Halo - Opal Cover - 13W	DOT17668	23	1865	81.1
Dot LED - RGB Halo - Opal Cover - 17W	DOT16501	27	2465	91.3
Dot LED - RGB Halo - Opal Cover Smart - 13W	DOT17659	23	1865	81.1
Dot LED - RGB Halo - Opal Cover Smart - 17W	DOT16495	27	2465	91.3
Dot LED - RGB Halo - Satin Cover - 13W	DOT17665	23	2500	108.7
Dot LED - RGB Halo - Satin Cover - 17W	DOT16498	27	3305	122.4
Dot LED - RGB Halo - Satin Cover Smart - 13W	DOT17656	23	2500	108.7
Dot LED - RGB Halo - Satin Cover Smart - 17W	DOT16492	27	3305	122.4
Dot LED - Satin Cover - 13W	DOT17663	16	2500	156.3
Dot LED - Satin Cover - 17W	DOT16496	20	3305	165.3
Dot LED - Satin Cover Smart - 13W	DOT17654	16	2500	156.3
Dot LED - Satin Cover Smart - 17W	DOT16490	20	3305	165.3
Dot LED - White Halo - Opal Cover - 13W	DOT17667	23	2470	107.4
Dot LED - White Halo - Opal Cover - 17W	DOT16500	27	3260	120.7
Dot LED - White Halo - Opal Cover Smart - 13W	DOT17658	23	2470	107.4
Dot LED - White Halo - Opal Cover Smart - 17W	DOT16494	27	3260	120.7
Dot LED - White Halo - Satin Cover - 13W	DOT17664	23	3100	134.8
Dot LED - White Halo - Satin Cover - 17W	DOT16497	27	4100	151.9
Dot LED - White Halo - Satin Cover Smart - 13W	DOT17655	23	3100	134.8
Dot LED - White Halo - Satin Cover Smart - 17W	DOT16491	27	4100	151.9

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
FGN-LED Type N (Zone 2 & 22) - 26W	FG16851	28	4360	155.7
FGN-LED Type N (Zone 2 & 22) - 38W	FG16852	40	6020	150.5
FGN-LED Type N (Zone 2 & 22) - 52W	FG16853	54	8620	159.6
Flexbar Recessed - 14W - 1400mm - Individual - Black Reflector	FXR14MVB	16	1930	120.6
Flexbar Recessed - 14W - 1400mm - Individual - Metallised Reflector	FXR14MVM	16	2470	154.4
Flexbar Recessed - 14W - 1400mm - Individual - White Reflector	FXR14MVW	16	2360	147.5
Flexbar Recessed - 14W - 1400mm - Secondary Straight - Black Reflector	FXR14MSB	16	1930	120.6
Flexbar Recessed - 14W - 1400mm - Secondary Straight - Metallised Reflector	FXR14MSM	16	2470	154.4
Flexbar Recessed - 14W - 1400mm - Secondary Straight - White Reflector	FXR14MSW	16	2360	147.5
Flexbar Recessed - 14W - Corner - Primary Left - Black Reflector	FXR14CPLB	16	2360	147.5
Flexbar Recessed - 14W - Corner - Primary Left - Metallised Reflector	FXR14CPLM	16	2470	154.4
Flexbar Recessed - 14W - Corner - Primary Left - White Reflector	FXR14CPLW	16	1930	120.6
Flexbar Recessed - 14W - Corner - Primary Right - Black Reflector	FXR14CPRB	16	2360	147.5
Flexbar Recessed - 14W - Corner - Primary Right - Metallised Reflector	FXR14CPRM	16	2470	154.4
Flexbar Recessed - 14W - Corner - Primary Right - White Reflector	FXR14CPRW	16	1930	120.6
Flexbar Recessed - 14W - Corner - Secondary Left - Black Reflector	FXR14CSLB	16	2360	147.5
Flexbar Recessed - 14W - Corner - Secondary Left - Metallised Reflector	FXR14CSLM	16	2470	154.4
Flexbar Recessed - 14W - Corner - Secondary Left - White Reflector	FXR14CSLW	16	1930	120.6
Flexbar Recessed - 14W - Corner - Secondary Right - Black Reflector	FXR14CSRB	16	2360	147.5
Flexbar Recessed - 14W - Corner - Secondary Right - Metallised Reflector	FXR14CSRМ	16	2470	154.4
Flexbar Recessed - 14W - Corner - Secondary Right - White Reflector	FXR14CSRW	16	1930	120.6
Flexbar Recessed - 16W - 2800mm - Individual - Black Reflector	FXR16LVB	19	2390	125.8
Flexbar Recessed - 16W - 2800mm - Individual - Metallised Reflector	FXR16LVM	19	3050	160.5
Flexbar Recessed - 16W - 2800mm - Individual - White Reflector	FXR16LVW	19	2920	153.7
Flexbar Recessed - 16W - 2800mm - Primary Straight - Black Reflector	FXR16LPB	19	2390	125.8
Flexbar Recessed - 16W - 2800mm - Primary Straight - Metallised Reflector	FXR16LPM	19	3050	160.5
Flexbar Recessed - 16W - 2800mm - Primary Straight - White Reflector	FXR16LPW	19	2920	153.7
Flexbar Recessed - 16W - 2800mm - Secondary Straight - Black Reflector	FXR16LSB	19	2390	125.8
Flexbar Recessed - 16W - 2800mm - Secondary Straight - Metallised Reflector	FXR16LSM	19	3050	160.5
Flexbar Recessed - 16W - 2800mm - Secondary Straight - White Reflector	FXR16LSW	19	2920	153.7
Flexbar Recessed - 20W - 1400mm - Individual - Black Reflector	FXR20MVB	23	2740	119.1
Flexbar Recessed - 20W - 1400mm - Individual - Metallised Reflector	FXR20MVM	23	3505	152.4
Flexbar Recessed - 20W - 1400mm - Individual - White Reflector	FXR20MVW	23	3350	145.7
Flexbar Recessed - 20W - 1400mm - Secondary Straight - Black Reflector	FXR20MSB	23	2740	119.1
Flexbar Recessed - 20W - 1400mm - Secondary Straight - Metallised Reflector	FXR20MSM	23	3505	152.4
Flexbar Recessed - 20W - 1400mm - Secondary Straight - White Reflector	FXR20MSW	23	3350	145.7
Flexbar Recessed - 20W - Corner - Primary Left - Black Reflector	FXR20CPLB	23	3350	145.7
Flexbar Recessed - 20W - Corner - Primary Left - Metallised Reflector	FXR20CPLM	23	3505	152.4
Flexbar Recessed - 20W - Corner - Primary Left - White Reflector	FXR20CPLW	23	2740	119.1
Flexbar Recessed - 20W - Corner - Primary Right - Black Reflector	FXR20CPRB	23	3350	119.1
Flexbar Recessed - 20W - Corner - Primary Right - Metallised Reflector	FXR20CPRM	23	3505	152.4
Flexbar Recessed - 20W - Corner - Primary Right - White Reflector	FXR20CPRW	23	2740	119.1
Flexbar Recessed - 20W - Corner - Secondary Left - Black Reflector	FXR20CSLB	23	3350	145.7
Flexbar Recessed - 20W - Corner - Secondary Left - Metallised Reflector	FXR20CSLM	23	3505	152.4
Flexbar Recessed - 20W - Corner - Secondary Left - White Reflector	FXR20CSLW	23	2740	119.1
Flexbar Recessed - 20W - Corner - Secondary Right - Black Reflector	FXR20CSRB	23	3350	145.7
Flexbar Recessed - 20W - Corner - Secondary Right - Metallised Reflector	FXR20CSRМ	23	3505	152.4
Flexbar Recessed - 20W - Corner - Secondary Right - White Reflector	FXR20CSRW	23	2740	119.1
Flexbar Recessed - 27W - 2800mm - Individual - Black Reflector	FXR27LVB	31	3860	124.5
Flexbar Recessed - 27W - 2800mm - Individual - Metallised Reflector	FXR27LVM	31	4940	159.4
Flexbar Recessed - 27W - 2800mm - Individual - White Reflector	FXR27LVW	31	4720	152.3
Flexbar Recessed - 27W - 2800mm - Primary Straight - Black Reflector	FXR27LPB	31	3860	124.5
Flexbar Recessed - 27W - 2800mm - Primary Straight - Metallised Reflector	FXR27LPM	31	4940	159.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Recessed - 27W - 2800mm - Primary Straight - White Reflector	FXR27LPW	31	4720	152.3
Flexbar Recessed - 27W - 2800mm - Secondary Straight - Black Reflector	FXR27LSB	31	3860	124.5
Flexbar Recessed - 27W - 2800mm - Secondary Straight - Metallised Reflector	FXR27LSM	31	4940	159.4
Flexbar Recessed - 27W - 2800mm - Secondary Straight - White Reflector	FXR27LSW	31	4720	152.3
Flexbar Recessed - 31W - 1400mm - Individual - Black Reflector	FXR31MVB	36	4165	115.7
Flexbar Recessed - 31W - 1400mm - Individual - Metallised Reflector	FXR31MVM	36	5325	147.9
Flexbar Recessed - 31W - 1400mm - Individual - White Reflector	FXR31MVW	36	5090	141.4
Flexbar Recessed - 31W - 1400mm - Secondary Straight - Black Reflector	FXR31MSB	36	4165	115.7
Flexbar Recessed - 31W - 1400mm - Secondary Straight - Metallised Reflector	FXR31MSM	36	5325	147.9
Flexbar Recessed - 31W - 1400mm - Secondary Straight - White Reflector	FXR31MSW	36	5090	141.4
Flexbar Recessed - 31W - Corner - Primary Left - Black Reflector	FXR31CPLB	36	5090	141.4
Flexbar Recessed - 31W - Corner - Primary Left - Metallised Reflector	FXR31CPLM	36	5325	147.9
Flexbar Recessed - 31W - Corner - Primary Left - White Reflector	FXR31CPLW	36	4165	115.7
Flexbar Recessed - 31W - Corner - Primary Right - Black Reflector	FXR31CPRB	36	5090	115.7
Flexbar Recessed - 31W - Corner - Primary Right - Metallised Reflector	FXR31CPRM	36	5325	147.9
Flexbar Recessed - 31W - Corner - Primary Right - White Reflector	FXR31CPRW	36	4165	115.7
Flexbar Recessed - 31W - Corner - Secondary Left - Black Reflector	FXR31CSLB	36	5090	141.4
Flexbar Recessed - 31W - Corner - Secondary Left - Metallised Reflector	FXR31CSLM	36	5325	147.9
Flexbar Recessed - 31W - Corner - Secondary Left - White Reflector	FXR31CSLW	36	4165	115.7
Flexbar Recessed - 31W - Corner - Secondary Right - Black Reflector	FXR31CSRB	36	5090	141.4
Flexbar Recessed - 31W - Corner - Secondary Right - Metallised Reflector	FXR31CSRМ	36	5325	147.9
Flexbar Recessed - 31W - Corner - Secondary Right - White Reflector	FXR31CSRW	36	4165	115.7
Flexbar Recessed - 39W - 2800mm - Individual - Black Reflector	FXR39LVB	46	5480	119.1
Flexbar Recessed - 39W - 2800mm - Individual - Metallised Reflector	FXR39LVM	46	7010	152.4
Flexbar Recessed - 39W - 2800mm - Individual - White Reflector	FXR39LVW	46	6700	145.7
Flexbar Recessed - 39W - 2800mm - Primary Straight - Black Reflector	FXR39LPB	46	5480	119.1
Flexbar Recessed - 39W - 2800mm - Primary Straight - Metallised Reflector	FXR39LPM	46	7010	152.4
Flexbar Recessed - 39W - 2800mm - Primary Straight - White Reflector	FXR39LPW	46	6700	145.7
Flexbar Recessed - 39W - 2800mm - Secondary Straight - Black Reflector	FXR39LSB	46	5480	119.1
Flexbar Recessed - 39W - 2800mm - Secondary Straight - Metallised Reflector	FXR39LSM	46	7010	152.4
Flexbar Recessed - 39W - 2800mm - Secondary Straight - White Reflector	FXR39LSW	46	6700	145.7
Flexbar Recessed - 63W - 2800mm - Individual - Black Reflector	FXR63LVB	71	8330	117.3
Flexbar Recessed - 63W - 2800mm - Individual - Metallised Reflector	FXR63LVM	71	10650	150.0
Flexbar Recessed - 63W - 2800mm - Individual - White Reflector	FXR63LVW	71	10180	143.4
Flexbar Recessed - 63W - 2800mm - Primary Straight - Black Reflector	FXR63LPB	71	8330	117.3
Flexbar Recessed - 63W - 2800mm - Primary Straight - Metallised Reflector	FXR63LPM	71	10650	150.0
Flexbar Recessed - 63W - 2800mm - Primary Straight - White Reflector	FXR63LPW	71	10180	143.4
Flexbar Recessed - 63W - 2800mm - Secondary Straight - Black Reflector	FXR63LSB	71	8330	117.3
Flexbar Recessed - 63W - 2800mm - Secondary Straight - Metallised Reflector	FXR63LSM	71	10650	150.0
Flexbar Recessed - 63W - 2800mm - Secondary Straight - White Reflector	FXR63LSW	71	10180	143.4
Flexbar Recessed - 8W - 1400mm - Individual - Black Reflector	FXR08MVB	10	1195	119.5
Flexbar Recessed - 8W - 1400mm - Individual - Metallised Reflector	FXR08MVM	10	1525	152.5
Flexbar Recessed - 8W - 1400mm - Individual - White Reflector	FXR08MVW	10	1460	146.0
Flexbar Recessed - 8W - 1400mm - Secondary Straight - Black Reflector	FXR08MSB	10	1195	119.5
Flexbar Recessed - 8W - 1400mm - Secondary Straight - Metallised Reflector	FXR08MSM	10	1525	152.5
Flexbar Recessed - 8W - 1400mm - Secondary Straight - White Reflector	FXR08MSW	10	1460	146.0
Flexbar Recessed - 8W - Corner - Primary Left - Black Reflector	FXR08CPLB	10	1460	146.0
Flexbar Recessed - 8W - Corner - Primary Left - Metallised Reflector	FXR08CPLM	10	1525	152.5
Flexbar Recessed - 8W - Corner - Primary Left - White Reflector	FXR08CPLW	10	1195	119.5
Flexbar Recessed - 8W - Corner - Primary Right - Black Reflector	FXR08CPRB	10	1460	146.0
Flexbar Recessed - 8W - Corner - Primary Right - Metallised Reflector	FXR08CPRM	10	1525	152.5
Flexbar Recessed - 8W - Corner - Primary Right - White Reflector	FXR08CPRW	10	1195	119.5
Flexbar Recessed - 8W - Corner - Secondary Left - Black Reflector	FXR08CSLB	10	1460	119.5

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Recessed - 8W - Corner - Secondary Left - Metallised Reflector	FXR08CSLM	10	1525	152.5
Flexbar Recessed - 8W - Corner - Secondary Left - White Reflector	FXR08CSLW	10	1195	119.5
Flexbar Recessed - 8W - Corner - Secondary Right - Black Reflector	FXR08CSRB	10	1460	146.0
Flexbar Recessed - 8W - Corner - Secondary Right - Metallised Reflector	FXR08CSRMB	10	1525	152.5
Flexbar Recessed - 8W - Corner - Secondary Right - White Reflector	FXR08CSRW	10	1195	119.5
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Left - Metallised Reflector	FR31CPLXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Left - Metallised Reflector	FR31CPLUM	36	5355	148.8
Flexbar Surface / Suspended - 8W - Down Only - Corner - Secondary Left - Black Reflector	FR08CSLXB	10	1460	146.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Left - Black Reflector	FR08CSLUB	10	1240	124.0
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Individual - Black Reflector	FR14MVXB	16	1930	120.6
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Individual - Metallised Reflector	FR14MVXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Individual - White Reflector	FR14MVXW	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Secondary Straight - Black Reflector	FR14MSXB	16	1930	120.6
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Secondary Straight - Metallised Reflector	FR14MSXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - 1400mm - Secondary Straight - White Reflector	FR14MSXW	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Left - Black Reflector	FR14CPLXB	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Left - Metallised Reflector	FR14CPLXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Left - White Reflector	FR14CPLXW	16	1930	120.6
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Right - Black Reflector	FR14CPRXB	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Right - Metallised Reflector	FR14CPRXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - Corner - Primary Right - White Reflector	FR14CPRXW	16	1930	120.6
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Left - Black Reflector	FR14CSLXB	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Left - Metallised Reflector	FR14CSLXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Left - White Reflector	FR14CSLXW	16	1930	120.6
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Right - Black Reflector	FR14CSRXB	16	2360	147.5
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Right - Metallised Reflector	FR14CSRXM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Down Only - Corner - Secondary Right - White Reflector	FR14CSRXW	16	1930	120.6
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Individual - Black Reflector	FR14MVUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Individual - Metallised Reflector	FR14MVUM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Individual - White Reflector	FR14MVUW	16	2350	146.9
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Secondary Straight - Black Reflector	FR14MSUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Secondary Straight - Metallised Reflector	FR14MSUM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Up & Down - 1400mm - Secondary Straight - White Reflector	FR14MSUW	16	2350	146.9
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Left - Black Reflector	FR14CPLUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Left - Metallised Reflector	FR14CPLUM	16	2470	154.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Left - White Reflector	FR14CPLUW	16	2350	146.9
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Right - Black Reflector	FR14CPRUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Right - Metallised Reflector	FR14CPRUM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Primary Right - White Reflector	FR14CPRUW	16	2350	146.9
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Left - Black Reflector	FR14CSLUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Left - Metallised Reflector	FR14CSLUM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Left - White Reflector	FR14CSLUW	16	2350	146.9
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Right - Black Reflector	FR14CSRUB	16	2010	125.6
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Right - Metallised Reflector	FR14CSRUM	16	2470	154.4
Flexbar Surface / Suspended - 14W - Up & Down Only - Corner - Secondary Right - White Reflector	FR14CSRUW	16	2350	146.9
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Individual - Black Reflector	FR16LVXB	19	2390	125.8
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Individual - Metallised Reflector	FR16LVXM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Individual - White Reflector	FR16LVXW	19	2920	153.7
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Primary Straight - Black Reflector	FR16LPXB	19	2390	125.8
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Primary Straight - Metallised Reflector	FR16LPXM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Primary Straight - White Reflector	FR16LPXW	19	2920	153.7
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Secondary Straight - Black Reflector	FR16LSXB	19	2390	125.8
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Secondary Straight - Metallised Reflector	FR16LSXM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Down Only - 2800mm - Secondary Straight - White Reflector	FR16LSXW	19	2920	153.7
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Individual - Black Reflector	FR16LVUB	19	2480	130.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Individual - Metallised Reflector	FR16LVUM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Individual - White Reflector	FR16LVUW	19	2900	152.6
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Primary Straight - Black Reflector	FR16LPUB	19	2480	130.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Primary Straight - Metallised Reflector	FR16LPUM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Primary Straight - White Reflector	FR16LPUW	19	2900	152.6
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Secondary Straight - Black Reflector	FR16LSUB	19	2480	130.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Secondary Straight - Metallised Reflector	FR16LSUM	19	3050	160.5
Flexbar Surface / Suspended - 16W - Up & Down - 2800mm - Secondary Straight - White Reflector	FR16LSUW	19	2900	152.6
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Individual - Black Reflector	FR20MVXB	23	2740	119.1
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Individual - Metallised Reflector	FR20MVXM	23	3505	152.4
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Individual - White Reflector	FR20MVXW	23	3350	145.7
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Secondary Straight - Black Reflector	FR20MSXB	23	2740	119.1
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Secondary Straight - Metallised Reflector	FR20MSXM	23	3505	152.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 20W - Down Only - 1400mm - Secondary Straight - White Reflector	FR20MSXW	23	3350	145.7
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Left - Black Reflector	FR20CPLXB	23	3350	145.7
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Left - Metallised Reflector	FR20CPLXM	23	3505	152.4
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Left - White Reflector	FR20CPLXW	23	2740	119.1
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Right - Black Reflector	FR20CPRXB	23	3350	119.1
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Right - Metallised Reflector	FR20CPRXM	23	3505	152.4
Flexbar Surface / Suspended - 20W - Down Only - Corner - Primary Right - White Reflector	FR20CPRXW	23	2740	119.1
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Left - Black Reflector	FR20CSLXB	23	3350	145.7
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Left - Metallised Reflector	FR20CSLXM	23	3505	152.4
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Left - White Reflector	FR20CSLXW	23	2740	119.1
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Right - Black Reflector	FR20CSRXB	23	3350	145.7
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Right - Metallised Reflector	FR20CSRXM	23	3505	152.4
Flexbar Surface / Suspended - 20W - Down Only - Corner - Secondary Right - White Reflector	FR20CSRXW	23	2740	119.1
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Individual - Black Reflector	FR20MVUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Individual - Metallised Reflector	FR20MVUM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Individual - White Reflector	FR20MVUW	23	3345	145.4
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Secondary Straight - Black Reflector	FR20MSUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Secondary Straight - Metallised Reflector	FR20MSUM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down - 1400mm - Secondary Straight - White Reflector	FR20MSUW	23	3345	145.4
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Left - Black Reflector	FR20CPLUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Left - Metallised Reflector	FR20CPLUM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Left - White Reflector	FR20CPLUW	23	3345	145.4
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Right - Black Reflector	FR20CPRUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Right - Metallised Reflector	FR20CPRXM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Primary Right - White Reflector	FR20CPRUW	23	3345	145.4
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Left - Black Reflector	FR20CSLUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Left - Metallised Reflector	FR20CSLUM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Left - White Reflector	FR20CSLUW	23	3345	145.4
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Right - Black Reflector	FR20CSRUB	23	2860	124.3
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Right - Metallised Reflector	FR20CSRUM	23	3510	152.6
Flexbar Surface / Suspended - 20W - Up & Down Only - Corner - Secondary Right - White Reflector	FR20CSRUW	23	3345	145.4
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Individual - Black Reflector	FR27LVXB	31	3860	124.5
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Individual - Metallised Reflector	FR27LVXM	31	4940	159.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Individual - White Reflector	FR27LVXW	31	4720	152.3
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Primary Straight - Black Reflector	FR27LPXB	31	3860	124.5
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Primary Straight - Metallised Reflector	FR27LPXM	31	4940	159.4
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Primary Straight - White Reflector	FR27LPXW	31	4720	152.3
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Secondary Straight - Black Reflector	FR27LSXB	31	3860	124.5
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Secondary Straight - Metallised Reflector	FR27LSXM	31	4940	159.4
Flexbar Surface / Suspended - 27W - Down Only - 2800mm - Secondary Straight - White Reflector	FR27LSXW	31	4720	152.3
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Individual - Black Reflector	FR27LVUB	31	4020	129.7
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Individual - Metallised Reflector	FR27LVUM	31	4940	159.4
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Individual - White Reflector	FR27LVUW	31	4700	151.6
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Primary Straight - Black Reflector	FR27LPUB	31	4020	129.7
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Primary Straight - Metallised Reflector	FR27LPUM	31	4940	159.4
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Primary Straight - White Reflector	FR27LPUW	31	4700	151.6
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Secondary Straight - Black Reflector	FR27LSUB	31	4020	129.7
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Secondary Straight - Metallised Reflector	FR27LSUM	31	4940	159.4
Flexbar Surface / Suspended - 27W - Up & Down - 2800mm - Secondary Straight - White Reflector	FR27LSUW	31	4700	151.6
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Individual - Black Reflector	FR31MVXB	36	4165	115.7
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Individual - Metallised Reflector	FR31MVXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Individual - White Reflector	FR31MVXW	36	5090	141.4
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Secondary Straight - Black Reflector	FR31MSXB	36	4165	115.7
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Secondary Straight - Metallised Reflector	FR31MSXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Down Only - 1400mm - Secondary Straight - White Reflector	FR31MSXW	36	5090	141.4
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Left - Black Reflector	FR31CPLXB	36	5090	141.4
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Left - White Reflector	FR31CPLXW	36	4165	115.7
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Right - Black Reflector	FR31CPRXB	36	5090	115.7
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Right - Metallised Reflector	FR31CPRXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Down Only - Corner - Primary Right - White Reflector	FR31CPRXW	36	4165	115.7
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Left - Black Reflector	FR31CSLXB	36	5090	141.4
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Left - Metallised Reflector	FR31CSLXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Left - White Reflector	FR31CSLXW	36	4165	115.7
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Right - Black Reflector	FR31CSRXB	36	5090	141.4
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Right - Metallised Reflector	FR31CSRXM	36	5325	147.9
Flexbar Surface / Suspended - 31W - Down Only - Corner - Secondary Right - White Reflector	FR31CSRXW	36	4165	115.7

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Individual - Black Reflector	FR31MVUB	35	4365	124.7
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Individual - Metallised Reflector	FR31MVUM	35	5355	153.0
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Individual - White Reflector	FR31MVUW	35	5105	145.9
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Secondary Straight - Black Reflector	FR31MSUB	35	4365	124.7
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Secondary Straight - Metallised Reflector	FR31MSUM	35	5355	153.0
Flexbar Surface / Suspended - 31W - Up & Down - 1400mm - Secondary Straight - White Reflector	FR31MSUW	35	5105	145.9
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Left - Black Reflector	FR31CPLUB	36	4365	121.3
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Left - White Reflector	FR31CPLUW	36	5105	141.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Right - Black Reflector	FR31CPRUB	36	4365	121.3
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Right - Metallised Reflector	FR31CPRUM	36	5355	148.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Primary Right - White Reflector	FR31CPRUW	36	5105	141.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Left - Black Reflector	FR31CSLUB	36	4365	121.3
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Left - Metallised Reflector	FR31CSLUM	36	5355	148.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Left - White Reflector	FR31CSLUW	36	5105	141.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Right - Black Reflector	FR31CSRUB	36	4365	121.3
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Right - Metallised Reflector	FR31CSRUM	36	5355	148.8
Flexbar Surface / Suspended - 31W - Up & Down Only - Corner - Secondary Right - White Reflector	FR31CSRUW	36	5105	141.8
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Individual - Black Reflector	FR39LVXB	46	5480	119.1
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Individual - Metallised Reflector	FR39LVXM	46	7010	152.4
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Individual - White Reflector	FR39LVXW	46	6700	145.7
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Primary Straight - Black Reflector	FR39LPXB	46	5480	119.1
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Primary Straight - Metallised Reflector	FR39LPXM	46	7010	152.4
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Primary Straight - White Reflector	FR39LPXW	46	6700	145.7
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Secondary Straight - Black Reflector	FR39LSXB	46	5480	119.1
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Secondary Straight - Metallised Reflector	FR39LSXM	46	7010	152.4
Flexbar Surface / Suspended - 39W - Down Only - 2800mm - Secondary Straight - White Reflector	FR39LSXW	46	6700	145.7
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Individual - Black Reflector	FR39LVUB	46	5720	124.3
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Individual - Metallised Reflector	FR39LVUM	46	7020	152.6
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Individual - White Reflector	FR39LVUW	46	6690	145.4
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Primary Straight - Black Reflector	FR39LPUB	46	5720	124.3
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Primary Straight - Metallised Reflector	FR39LPUM	46	7020	152.6
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Primary Straight - White Reflector	FR39LPUW	46	6690	145.4
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Secondary Straight - Black Reflector	FR39LSUB	46	5720	124.3

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Secondary Straight - Metallised Reflector	FR39LSUM	46	7020	152.6
Flexbar Surface / Suspended - 39W - Up & Down - 2800mm - Secondary Straight - White Reflector	FR39LSUW	46	6690	145.4
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Individual - Black Reflector	FR63LVXB	71	8330	117.3
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Individual - Metallised Reflector	FR63LVXM	71	10650	150.0
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Individual - White Reflector	FR63LVXW	71	10180	143.4
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Primary Straight - Black Reflector	FR63LPXB	71	8330	117.3
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Primary Straight - Metallised Reflector	FR63LPXM	71	10650	150.0
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Primary Straight - White Reflector	FR63LPXW	71	10180	143.4
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Secondary Straight - Black Reflector	FR63LSXB	71	8330	117.3
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Secondary Straight - Metallised Reflector	FR63LSXM	71	10650	150.0
Flexbar Surface / Suspended - 63W - Down Only - 2800mm - Secondary Straight - White Reflector	FR63LSXW	71	10180	143.4
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Individual - Black Reflector	FR63LVUB	71	8730	123.0
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Individual - Metallised Reflector	FR63LVUM	71	10710	150.8
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Individual - White Reflector	FR63LVUW	71	10210	143.8
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Primary Straight - Black Reflector	FR63LPUB	71	8730	123.0
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Primary Straight - Metallised Reflector	FR63LPUM	71	10710	150.8
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Primary Straight - White Reflector	FR63LPUW	71	10210	143.8
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Secondary Straight - Black Reflector	FR63LSUB	71	8730	123.0
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Secondary Straight - Metallised Reflector	FR63LSUM	71	10710	150.8
Flexbar Surface / Suspended - 63W - Up & Down - 2800mm - Secondary Straight - White Reflector	FR63LSUW	71	10210	143.8
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Individual - Black Reflector	FR08MVXB	10	1195	119.5
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Individual - Metallised Reflector	FR08MVXM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Individual - White Reflector	FR08MVXW	10	1460	146.0
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Secondary Straight - Black Reflector	FR08MSXB	10	1195	119.5
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Secondary Straight - Metallised Reflector	FR08MSXM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Down Only - 1400mm - Secondary Straight - White Reflector	FR08MSXW	10	1460	146.0
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Left - Black Reflector	FR08CPLXB	10	1460	146.0
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Left - Metallised Reflector	FR08CPLXM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Left - White Reflector	FR08CPLXW	10	1195	119.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Right - Black Reflector	FR08CPRXB	10	1460	146.0
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Right - Metallised Reflector	FR08CPRXM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Primary Right - White Reflector	FR08CPRXW	10	1195	119.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Secondary Left - Metallised Reflector	FR08CSLXM	10	1525	152.5

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbar Surface / Suspended - 8W - Down Only - Corner - Secondary Left - White Reflector	FR08CSLXW	10	1195	119.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Secondary Right - Metallised Reflector	FR08CSRXM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Down Only - Corner - Secondary Right - White Reflector	FR08CSRXW	10	1195	119.5
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Individual - Black Reflector	FR08MVUB	10	1240	124.0
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Individual - Metallised Reflector	FR08MVUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Individual - White Reflector	FR08MVUW	10	1450	145.0
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Secondary Straight - Black Reflector	FR08MSUB	10	1240	124.0
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Secondary Straight - Metallised Reflector	FR08MSUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down - 1400mm - Secondary Straight - White Reflector	FR08MSUW	10	1450	145.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Right - Black Reflector	FR08CSRUB	10	1240	124.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Left - Black Reflector	FR08CPLUB	10	1240	124.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Left - Metallised Reflector	FR08CPLUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Left - White Reflector	FR08CPLUW	10	1450	145.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Right - Black Reflector	FR08CPRUB	10	1240	124.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Right - Metallised Reflector	FR08CPRUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Primary Right - White Reflector	FR08CPRUW	10	1450	145.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Left - Metallised Reflector	FR08CSLUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Left - White Reflector	FR08CSLUW	10	1450	145.0
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Right - Metallised Reflector	FR08CSRUM	10	1525	152.5
Flexbar Surface / Suspended - 8W - Up & Down Only - Corner - Secondary Right - White Reflector	FR08CSRUW	10	1450	145.0
Flexbar Surface / Suspended - Down Only - 8W - Corner - Secondary Right - Black Reflector	FR08CSRXB	10	1460	146.0
Flexbeam - 18W - Black - Black Reflector - Downlight	FM18BLLB	21	1850	88.1
Flexbeam - 18W - Black - Metallised Reflector - Downlight	FM18BLLM	21	2590	123.3
Flexbeam - 18W - Black - White Reflector - Downlight	FM18BLLW	21	2500	119.0
Flexbeam - 18W - Grey - Black Reflector - Downlight	FM18GYLB	21	1850	88.1
Flexbeam - 18W - Grey - Metallised Reflector - Downlight	FM18GYLM	21	2590	123.3
Flexbeam - 18W - Grey - White Reflector - Downlight	FM18GYLW	21	2500	119.0
Flexbeam - 18W - White - Black Reflector - Downlight	FM18WHLB	21	1850	88.1
Flexbeam - 18W - White - Metallised Reflector - Downlight	FM18WHLM	21	2590	123.3
Flexbeam - 18W - White - White Reflector - Downlight	FM18WHLW	21	2500	119.0
Flexbeam - 27W - Black - Black Reflector - Up & Downlight	FM27BLLB	32	2920	91.3
Flexbeam - 27W - Black - Metallised Reflector - Up & Downlight	FM27BLLM	32	3645	113.9
Flexbeam - 27W - Black - White Reflector - Up & Downlight	FM27BLLW	32	3540	110.6
Flexbeam - 27W - Grey - Black Reflector - Up & Downlight	FM27GYLB	32	2920	91.3
Flexbeam - 27W - Grey - Metallised Reflector - Up & Downlight	FM27GYLM	32	3645	113.9
Flexbeam - 27W - Grey - White Reflector - Up & Downlight	FM27GYLW	32	3540	110.6
Flexbeam - 27W - White - Black Reflector - Up & Downlight	FM27WHLB	32	2920	91.3
Flexbeam - 27W - White - Metallised Reflector - Up & Downlight	FM27WHLM	32	3645	113.9
Flexbeam - 27W - White - White Reflector - Up & Downlight	FM27WHLW	32	3540	110.6
Flexbeam - 28W - Black - Black Reflector - Downlight	FM28BLLB	33	2715	82.3
Flexbeam - 28W - Black - Metallised Reflector - Downlight	FM28BLLM	33	3795	115.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexbeam - 28W - Black - White Reflector - Downlight	FM28BLLW	33	3685	111.7
Flexbeam - 28W - Grey - Black Reflector - Downlight	FM28GYLB	33	2715	82.3
Flexbeam - 28W - Grey - Metallised Reflector - Downlight	FM28GYLM	33	3795	115.0
Flexbeam - 28W - Grey - White Reflector - Downlight	FM28GYLW	33	3685	111.7
Flexbeam - 28W - White - Black Reflector - Downlight	FM28WHLB	33	2715	82.3
Flexbeam - 28W - White - Metallised Reflector - Downlight	FM28WHLM	33	3795	115.0
Flexbeam - 28W - White - White Reflector - Downlight	FM28WHLW	33	3685	111.7
Flexbeam - 45W - Black - Black Reflector - Up & Downlight	FM42BLLB	53	4490	84.7
Flexbeam - 45W - Black - Metallised Reflector - Up & Downlight	FM42BLLM	53	5580	105.3
Flexbeam - 45W - Black - White Reflector - Up & Downlight	FM42BLLW	53	5490	103.6
Flexbeam - 45W - Grey - Black Reflector - Up & Downlight	FM42GYLB	53	4490	84.7
Flexbeam - 45W - Grey - Metallised Reflector - Up & Downlight	FM42GYLM	53	5580	105.3
Flexbeam - 45W - Grey - White Reflector - Up & Downlight	FM42GYLW	53	5490	103.6
Flexbeam - 45W - White - Black Reflector - Up & Downlight	FM42WHLB	53	4490	84.7
Flexbeam - 45W - White - Metallised Reflector - Up & Downlight	FM42WHLM	53	5580	105.3
Flexbeam - 45W - White - White Reflector - Up & Downlight	FM42WHLW	53	5490	103.6
Flexblox - 8W Black	FX081B	9	1100	122.2
Flexblox - 8W Metallised	FX081M	9	1235	137.2
Flexblox - 8W White	FX081W	9	1235	137.2
Flexblox 16W Black	FX161B	20	2230	111.5
Flexblox 16W Metallised	FX161M	20	2495	124.8
Flexblox 16W White	FX161W	20	2515	125.8
Flexblox Multidrive - 12W Black - 3 luminaires	FXWS3B	14	1590	113.6
Flexblox Multidrive - 12W Black - 4 luminaires	FXWS4B	14	1590	113.6
Flexblox Multidrive - 12W Metallised - 3 luminaires	FXWS3M	14	1785	127.5
Flexblox Multidrive - 12W Metallised - 4 luminaires	FXWS4M	14	1785	127.5
Flexblox Multidrive - 12W White - 3 luminaires	FXWS3W	14	1790	127.9
Flexblox Multidrive - 12W White - 4 luminaires	FXWS4W	14	1790	127.9
Flexblox Multidrive - 14W Black - 3 luminaires	FXWS3B	16	1835	114.7
Flexblox Multidrive - 14W Black - 4 luminaires	FXWS4B	16	1835	114.7
Flexblox Multidrive - 14W Metallised - 3 luminaires	FXWS3M	16	2060	128.8
Flexblox Multidrive - 14W Metallised - 4 luminaires	FXWS4M	16	2060	128.8
Flexblox Multidrive - 14W White - 3 luminaires	FXWS3W	16	2065	129.1
Flexblox Multidrive - 14W White - 4 luminaires	FXWS4W	16	2065	129.1
Flexblox Multidrive - 16W Black - 3 luminaires	FXWS3B	18	2230	123.9
Flexblox Multidrive - 16W Black - 4 luminaires	FXWS4B	18	2230	123.9
Flexblox Multidrive - 16W Metallised - 3 luminaires	FXWS3M	18	2495	138.6
Flexblox Multidrive - 16W Metallised - 4 luminaires	FXWS4M	18	2495	138.6
Flexblox Multidrive - 16W White - 3 luminaires	FXWS3W	18	2515	139.7
Flexblox Multidrive - 16W White - 4 luminaires	FXWS4W	18	2515	139.7
Flexblox Multidrive - 8W Black - 3 luminaires	FXWS3B	9	1100	122.2
Flexblox Multidrive - 8W Black - 4 luminaires	FXWS4B	9	1100	122.2
Flexblox Multidrive - 8W Metallised - 3 luminaires	FXWS3M	9	1235	137.2
Flexblox Multidrive - 8W Metallised - 4 luminaires	FXWS4M	9	1235	137.2
Flexblox Multidrive - 8W White - 3 luminaires	FXWS3W	9	1235	137.2
Flexblox Multidrive - 8W White - 4 luminaires	FXWS4W	9	1235	137.2
Flexline corner - 1.8 - 21W - Black	FL1818CB	25	2180	87.2
Flexline corner - 1.8 - 21W - Metallised	FL1818CM	25	3045	121.8
Flexline corner - 1.8 - 21W - White	FL1818CW	25	2940	117.6
Flexline corner - 1.8 - 27W - Black	FL1818CB	31	2775	89.5
Flexline corner - 1.8 - 27W - Metallised	FL1818CM	31	3880	125.2
Flexline corner - 1.8 - 27W - White	FL1818CW	31	3740	120.6
Flexline corner - 1.8 - 32W - Black	FL1818CB	37	3260	88.1

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexline corner - 1.8 - 32W - Metallised	FL1818CM	37	4550	123.0
Flexline corner - 1.8 - 32W - White	FL1818CW	37	4390	118.6
Flexline corner - 1.8 - 36W - Black	FL1818CB	41	3630	88.5
Flexline corner - 1.8 - 36W - Metallised	FL1818CM	41	5070	123.7
Flexline corner - 1.8 - 36W - White	FL1818CW	41	4890	119.3
Flexline corner - 2.4 - 28W - Black	FL2424CB	33	2910	88.2
Flexline corner - 2.4 - 28W - Metallised	FL2424CM	33	4060	123.0
Flexline corner - 2.4 - 28W - White	FL2424CW	33	3915	118.6
Flexline corner - 2.4 - 41W - Black	FL2424CB	48	4175	87.0
Flexline corner - 2.4 - 41W - Metallised	FL2424CM	48	5830	121.5
Flexline corner - 2.4 - 41W - White	FL2424CW	48	5625	117.2
Flexline corner - 2.4 - 48W - Black	FL2424CB	55	4840	88.0
Flexline corner - 2.4 - 48W - Metallised	FL2424CM	55	6760	122.9
Flexline corner - 2.4 - 48W - White	FL2424CW	55	6520	118.5
Flexline corner - 2.4 - 6W - Black	FL2424CB	42	3705	88.2
Flexline corner - 2.4 - 6W - Metallised	FL2424CM	42	5170	123.1
Flexline corner - 2.4 - 6W - White	FL2424CW	42	4990	118.8
Flexline rectangle - 2.4 x 1.2 - 29W - Black	FL2412QB	34	3010	88.5
Flexline rectangle - 2.4 x 1.2 - 29W - Metallised	FL2412QM	34	4205	123.7
Flexline rectangle - 2.4 x 1.2 - 29W - White	FL2412QW	34	4055	119.3
Flexline rectangle - 2.4 x 1.2 - 42W - Black	FL2412QB	49	4320	88.2
Flexline rectangle - 2.4 x 1.2 - 42W - Metallised	FL2412QM	49	6035	123.2
Flexline rectangle - 2.4 x 1.2 - 42W - White	FL2412QW	49	5820	118.8
Flexline rectangle - 2.4 x 1.2 - 54W - Black	FL2412QB	61	5500	90.2
Flexline rectangle - 2.4 x 1.2 - 54W - Metallised	FL2412QM	61	7680	125.9
Flexline rectangle - 2.4 x 1.2 - 54W - White	FL2412QW	61	7410	121.5
Flexline rectangle - 2.4 x 1.2 - 61W - Black	FL2412QB	69	6150	89.1
Flexline rectangle - 2.4 x 1.2 - 61W - Metallised	FL2412QM	69	8590	124.5
Flexline rectangle - 2.4 x 1.2 - 61W - White	FL2412QW	69	8285	120.1
Flexline single - 1.8 - 12W - Black	FL0018SB	16	1245	77.8
Flexline single - 1.8 - 12W - Metallised	FL0018SM	16	1740	108.8
Flexline single - 1.8 - 12W - White	FL0018SW	16	1680	105.0
Flexline single - 1.8 - 13W - Black	FL0018SB	17	1335	78.5
Flexline single - 1.8 - 13W - Metallised	FL0018SM	17	1865	109.7
Flexline single - 1.8 - 13W - White	FL0018SW	17	1800	105.9
Flexline single - 1.8 - 15W - Black	FL0018SB	19	1530	80.5
Flexline single - 1.8 - 15W - Metallised	FL0018SM	19	2135	112.4
Flexline single - 1.8 - 15W - White	FL0018SW	19	2060	108.4
Flexline single - 1.8 - 18W - Black	FL0018SB	22	1815	82.5
Flexline single - 1.8 - 18W - Metallised	FL0018SM	22	2535	115.2
Flexline single - 1.8 - 18W - White	FL0018SW	22	2445	111.1
Flexline single - 2.4 - 14W - Black	FL0024SB	17	1455	85.6
Flexline single - 2.4 - 14W - Metallised	FL0024SM	17	2030	119.4
Flexline single - 2.4 - 14W - White	FL0024SW	17	1960	115.3
Flexline single - 2.4 - 18W - Black	FL0024SB	22	1850	84.1
Flexline single - 2.4 - 18W - Metallised	FL0024SM	22	2585	117.5
Flexline single - 2.4 - 21W - Black	FL0024SB	25	2140	85.6
Flexline single - 2.4 - 21W - Metallised	FL0024SM	25	2985	119.4
Flexline single - 2.4 - 21W - White	FL0024SW	25	2880	115.2
Flexline single - 2.4 - 24W - Black	FL0024SB	28	2420	86.4
Flexline single - 2.4 - 24W - Metallised	FL0024SM	28	3380	120.7
Flexline single - 2.4 - 24W - White	FL0024SW	28	3260	116.4
Flexline single - 3.6 - 21W - Black	FL0036SB	25	2180	87.2

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexline single - 3.6 - 21W - Metallised	FL0036SM	25	3045	121.8
Flexline single - 3.6 - 21W - White	FL0036SW	25	2940	117.6
Flexline single - 3.6 - 27W - Black	FL0036SB	32	2775	86.7
Flexline single - 3.6 - 27W - Metallised	FL0036SM	32	3880	121.3
Flexline single - 3.6 - 27W - White	FL0036SW	32	3740	116.9
Flexline single - 3.6 - 32W - Black	FL0036SB	37	3260	88.1
Flexline single - 3.6 - 32W - Metallised	FL0036SM	37	4550	123.0
Flexline single - 3.6 - 32W - White	FL0036SW	37	4390	118.6
Flexline single - 3.6 - 36W - Black	FL0036SB	41	3630	88.5
Flexline single - 3.6 - 36W - Metallised	FL0036SM	41	5070	123.7
Flexline single - 3.6 - 36W - White	FL0036SW	41	4890	119.3
Flexline single - 4.8 - 28W - Black	FL0048SB	33	2910	88.2
Flexline single - 4.8 - 28W - Metallised	FL0048SM	33	4060	123.0
Flexline single - 4.8 - 28W - White	FL0048SW	33	3915	118.6
Flexline single - 4.8 - 36W - Black	FL0048SB	42	3705	88.2
Flexline single - 4.8 - 36W - Metallised	FL0048SM	42	5170	123.1
Flexline single - 4.8 - 36W - White	FL0048SW	42	4990	118.8
Flexline single - 4.8 - 42W - Black	FL0048SB	48	4275	89.1
Flexline single - 4.8 - 42W - Metallised	FL0048SM	48	5975	124.5
Flexline single - 4.8 - 42W - White	FL0048SW	48	5760	120.0
Flexline single - 4.8 - 49W - Black	FL0048SB	55	4940	89.8
Flexline single - 4.8 - 49W - Metallised	FL0048SM	55	6900	125.5
Flexline single - 4.8 - 49W - White	FL0048SW	55	6655	121.0
Flexline square - 1.8 - 29W - Black	FL1818QB	34	3010	88.5
Flexline square - 1.8 - 29W - Metallised	FL1818QM	34	4205	123.7
Flexline square - 1.8 - 29W - White	FL1818QW	34	4055	119.3
Flexline square - 1.8 - 42W - Black	FL1818QB	49	4320	88.2
Flexline square - 1.8 - 42W - Metallised	FL1818QM	49	6035	123.2
Flexline square - 1.8 - 42W - White	FL1818QW	49	5820	118.8
Flexline square - 1.8 - 54W - Black	FL1818QB	61	5500	90.2
Flexline square - 1.8 - 54W - Metallised	FL1818QM	61	7680	125.9
Flexline square - 1.8 - 54W - White	FL1818QW	61	7410	121.5
Flexline square - 1.8 - 61W - Black	FL1818QB	69	6150	89.1
Flexline square - 1.8 - 61W - Metallised	FL1818QM	69	8590	124.5
Flexline square - 1.8 - 61W - White	FL1818QW	69	8285	120.1
Flexline square - 2.4 - 39W - Black	FL2424QB	45	4050	90.0
Flexline square - 2.4 - 39W - Metallised	FL2424QM	45	5655	125.7
Flexline square - 2.4 - 39W - White	FL2424QW	45	5455	121.2
Flexline square - 2.4 - 56W - Black	FL2424QB	64	5760	90.0
Flexline square - 2.4 - 56W - Metallised	FL2424QM	64	8045	125.7
Flexline square - 2.4 - 56W - White	FL2424QW	64	7760	121.3
Flexline square - 2.4 - 72W - Black	FL2424QB	79	7335	92.8
Flexline square - 2.4 - 72W - Metallised	FL2424QM	79	10240	129.6
Flexline square - 2.4 - 72W - White	FL2424QW	79	9880	125.1
Flexline square - 2.4 - 82W - Black	FL2424QB	90	8270	91.9
Flexline square - 2.4 - 82W - Metallised	FL2424QM	90	11550	128.3
Flexline square - 2.4 - 82W - White	FL2424QW	90	11140	123.8
Flexline twin - 1.8 - 14W - Black	FL0018TB	17	1455	85.6
Flexline twin - 1.8 - 14W - Metallised	FL0018TM	17	2030	119.4
Flexline twin - 1.8 - 14W - White	FL0018TW	17	1960	115.3
Flexline twin - 1.8 - 22W - Black	FL0018TB	25	2265	90.6
Flexline twin - 1.8 - 22W - Metallised	FL0018TM	25	3160	126.4
Flexline twin - 1.8 - 22W - White	FL0018TW	25	3050	122.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexline twin - 1.8 - 27W - Black	FL0018TB	30	2750	91.7
Flexline twin - 1.8 - 27W - Metallised	FL0018TM	30	3840	128.0
Flexline twin - 1.8 - 27W - White	FL0018TW	30	3705	123.5
Flexline twin - 1.8 - 31W - Black	FL0018TB	34	3125	91.9
Flexline twin - 1.8 - 31W - Metallised	FL0018TM	34	4365	128.4
Flexline twin - 1.8 - 31W - White	FL0018TW	34	4210	123.8
Flexline twin - 2.4 - 19W - Black	FL0024TB	22	1975	89.8
Flexline twin - 2.4 - 19W - Metallised	FL0024TM	22	2755	125.2
Flexline twin - 2.4 - 19W - White	FL0024TW	22	2660	120.9
Flexline twin - 2.4 - 28W - Black	FL0024TB	31	2880	92.9
Flexline twin - 2.4 - 28W - Metallised	FL0024TM	31	4020	129.7
Flexline twin - 2.4 - 28W - White	FL0024TW	31	3880	125.2
Flexline twin - 2.4 - 36W - Black	FL0024TB	40	3665	91.6
Flexline twin - 2.4 - 36W - Metallised	FL0024TM	40	5120	128.0
Flexline twin - 2.4 - 36W - White	FL0024TW	40	4940	123.5
Flexline twin - 2.4 - 41W - Black	FL0024TB	45	4135	91.9
Flexline twin - 2.4 - 41W - Metallised	FL0024TM	45	5775	128.3
Flexline twin - 2.4 - 41W - White	FL0024TW	45	5570	123.8
Flexline twin - 3.6 - 28W - Black	FL0036TB	33	2910	88.2
Flexline twin - 3.6 - 28W - Metallised	FL0036TM	33	4060	123.0
Flexline twin - 3.6 - 28W - White	FL0036TW	33	3915	118.6
Flexline twin - 3.6 - 42W - Black	FL0036TB	49	4320	88.2
Flexline twin - 3.6 - 42W - Metallised	FL0036TM	49	6035	123.2
Flexline twin - 3.6 - 42W - White	FL0036TW	49	5820	118.8
Flexline twin - 3.6 - 54W - Black	FL0036TB	61	5500	90.2
Flexline twin - 3.6 - 54W - Metallised	FL0036TM	61	7680	125.9
Flexline twin - 3.6 - 54W - White	FL0036TW	61	7410	121.5
Flexline twin - 3.6 - 61W - Black	FL0036TB	69	6150	89.1
Flexline twin - 3.6 - 61W - Metallised	FL0036TM	69	8590	124.5
Flexline twin - 3.6 - 61W - White	FL0036TW	69	8285	120.1
Flexline twin - 4.8 - 39W - Black	FL0048TB	45	4050	90.0
Flexline twin - 4.8 - 39W - Metallised	FL0048TM	45	5655	125.7
Flexline twin - 4.8 - 39W - White	FL0048TW	45	5455	121.2
Flexline twin - 4.8 - 56W - Black	FL0048TB	64	5760	90.0
Flexline twin - 4.8 - 56W - Metallised	FL0048TM	64	8045	125.7
Flexline twin - 4.8 - 56W - White	FL0048TW	64	7760	121.3
Flexline twin - 4.8 - 72W - Black	FL0048TB	79	7335	92.8
Flexline twin - 4.8 - 72W - Metallised	FL0048TM	79	10240	129.6
Flexline twin - 4.8 - 72W - White	FL0048TW	79	9880	125.1
Flexline twin - 4.8 - 82W - Black	FL0048TB	90	8270	91.9
Flexline twin - 4.8 - 82W - Metallised	FL0048TM	90	11550	128.3
Flexline twin - 4.8 - 82W - White	FL0048TW	90	11140	123.8
Flexview eight - 67w - Black	FV1224SB	77	3820	49.6
Flexview eight - 67w - Metallised	FV1224SM	77	4685	60.8
Flexview eight - 67w - White	FV1224SW	77	4580	59.5
Flexview eight - 74w - Black	FV1224SB	84	4520	53.8
Flexview eight - 74w - Metallised	FV1224SM	84	5660	67.4
Flexview eight - 74w - White	FV1224SW	84	5520	65.7
Flexview eight - 82w - Black	FV1224SB	92	5305	57.7
Flexview eight - 82w - Metallised	FV1224SM	92	6760	73.5
Flexview eight - 82w - White	FV1224SW	92	6580	71.5
Flexview eight - 87w - Black	FV1224SB	97	5775	59.5
Flexview eight - 87w - Metallised	FV1224SM	97	7415	76.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Flexview eight - 87w - White	FV1224SW	97	7210	74.3
Flexview four - 37w - Black	FV1212SB	46	2275	49.5
Flexview four - 37w - Metallised	FV1212SM	46	2850	62.0
Flexview four - 37w - White	FV1212SW	46	2780	60.4
Flexview four - 41w - Black	FV1212SB	50	2670	53.4
Flexview four - 41w - Metallised	FV1212SM	50	3405	68.1
Flexview four - 41w - White	FV1212SW	50	3315	66.3
Flexview four - 47w - Black	FV1212SB	56	3265	58.3
Flexview four - 47w - Metallised	FV1212SM	56	4235	75.6
Flexview four - 47w - White	FV1212SW	56	4115	73.5
Flexview four - 50w - Black	FV1212SB	59	3545	60.1
Flexview four - 50w - Metallised	FV1212SM	59	4625	78.4
Flexview four - 50w - White	FV1212SW	59	4490	76.1
Flexview one - 20w - Black	FV0606SB	24	1630	67.9
Flexview one - 20w - Metallised	FV0606SM	24	2195	91.5
Flexview one - 20w - White	FV0606SW	24	2125	88.5
Flexview one - 26w - Black	FV0606SB	30	2200	73.3
Flexview one - 26w - Metallised	FV0606SM	30	2995	99.8
Flexview one - 26w - White	FV0606SW	30	2895	96.5
Flexview one - 34w - Black	FV0606SB	39	2945	75.5
Flexview one - 34w - Metallised	FV0606SM	39	4030	103.3
Flexview one - 34w - White	FV0606SW	39	3895	99.9
Flexview one - 40w - Black	FV0606SB	45	3460	76.9
Flexview one - 40w - Metallised	FV0606SM	45	4755	105.7
Flexview one - 40w - White	FV0606SW	45	4590	102.0
Flexview six - 52w - Black	FV1812SB	59	2995	50.8
Flexview six - 52w - Metallised	FV1812SM	59	3695	62.6
Flexview six - 52w - White	FV1812SW	59	3610	61.2
Flexview six - 58w - Black	FV1812SB	65	3595	55.3
Flexview six - 58w - Metallised	FV1812SM	65	4535	69.8
Flexview six - 58w - White	FV1812SW	65	4415	67.9
Flexview six - 65w - Black	FV1812SB	73	4285	58.7
Flexview six - 65w - Metallised	FV1812SM	73	5495	75.3
Flexview six - 65w - White	FV1812SW	73	5345	73.2
Flexview six - 69w - Black	FV1812SB	77	4660	60.5
Flexview six - 69w - Metallised	FV1812SM	77	6020	78.2
Flexview six - 69w - White	FV1812SW	77	5850	76.0
Flexview sixteen - 121w - Black	FV2424SB	135	6190	45.9
Flexview sixteen - 121w - Metallised	FV2424SM	135	7340	54.4
Flexview sixteen - 121w - White	FV2424SW	135	7195	53.3
Flexview sixteen - 130w - Black	FV2424SB	145	7085	48.9
Flexview sixteen - 130w - Metallised	FV2424SM	145	8595	59.3
Flexview sixteen - 130w - White	FV2424SW	145	8405	58.0
Flexview sixteen - 141w - Black	FV2424SB	157	8170	52.0
Flexview sixteen - 141w - Metallised	FV2424SM	157	10110	64.4
Flexview sixteen - 141w - White	FV2424SW	157	9865	62.8
Flexview sixteen - 148w - Black	FV2424SB	164	8825	53.8
Flexview sixteen - 148w - Metallised	FV2424SM	164	11025	67.2
Flexview sixteen - 148w - White	FV2424SW	164	10750	65.5
G2 LED Blue Poly Halo - 12W	GU15407 + GU13677	14	925	66.1
G2 LED Blue Poly Halo - 6W	GU15406 + GU13677	7	465	66.4
G2 LED Clear Cone - 12W	GU15407 + GU13675	14	1000	71.4
G2 LED Clear Cone - 6W	GU15406 + GU13675	7	505	72.1

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
G2 LED Clear Poly Halo - 12W	GU15407 + GU13676	14	1125	80.4
G2 LED Clear Poly Halo - 6W	GU15406 + GU13676	7	570	81.4
G2 LED Drop Glass - 12W	GU15407 + GU14177W	14	1040	74.3
G2 LED Drop Glass - 6W	GU15406 + GU14177W	7	525	75.0
G2 LED Frosted Sealed Glass - 12W	GU15407 + GU13679G	14	860	61.4
G2 LED Frosted Sealed Glass - 6W	GU15406 + GU13679G	7	435	62.1
G2 LED Poly Prismatic Lens - 12W	GU15407 + GU13681	14	650	46.4
G2 LED Poly Prismatic Lens - 6W	GU15406 + GU13681	7	325	46.4
G2 LED Poly Prismatic Sided Dish - 12W	GU15407 + GU13682	14	1000	71.4
G2 LED Poly Prismatic Sided Dish - 6W	GU15406 + GU13682	7	505	72.1
G2 LED White Bezel - 12W	GU15407 + GU14176W	14	1190	85.0
G2 LED White Bezel - 6W	GU15406 + GU14176W	7	600	85.7
G2 Pismatic Polycarbonate - 12W - Ligature-Resistant - 4000K	GU16837	14	650	46.4
G2 Prismatic Polycarbonate - 6W - Ligature-Resistant - 4000K	GU16835	7	325	46.4
G2 Satin Polycarbonate - 12W - Ligature-Resistant - 4000K	GU16836	14	670	47.9
G2 Satin Polycarbonate - 6W - Ligature-Resistant - 4000K	GU16834	7	340	48.6
G3 LED - 12W - ColourControl	GT18824CC	15	965	64.3
G3 LED - 12W - Smart - ColourActive	GT18822CA	15	965	64.3
G3 LED - 24W - ColourControl	GT18825CC	30	2050	68.3
G3 LED - 24W - Smart - ColourActive	GT18823CA	30	2050	68.3
G3 LED - Ligature Resistant - 16W - Clear Version	GT20195	19	1940	102.1
G3 LED - Ligature Resistant - 16W - Satin Version	GT20197	19	1650	86.8
G3 LED - Ligature Resistant - 8W - Clear Version	GT20194	10	1065	106.5
G3 LED - Ligature Resistant - 8W - Satin Version	GT20196	10	835	83.5
G3 LED Frosted Inner Drop Glass - 16W - 3000K	GT18398	20	1715	85.8
G3 LED Frosted Inner Drop Glass - 16W - 4000K	GT15077	20	1825	91.3
G3 LED Frosted Inner Drop Glass - 21W - 3000K	GT18399	26	2165	83.3
G3 LED Frosted Inner Drop Glass - 21W - 4000K	GT18375	26	2305	88.7
G3 LED Frosted Inner Drop Glass - 8W - 3000K	GT18379	10	940	94.0
G3 LED Frosted Inner Drop Glass - 8W - 4000K	GT15076	10	1000	100.0
G3 LED Frosted Outer Drop Glass - 16W - 3000K	GT18393	20	1790	89.5
G3 LED Frosted Outer Drop Glass - 16W - 4000K	GT15074	20	1905	95.3
G3 LED Frosted Outer Drop Glass - 21W - 3000K	GT18394	26	2260	86.9
G3 LED Frosted Outer Drop Glass - 21W - 4000K	GT18373	26	2410	92.7
G3 LED Frosted Outer Drop Glass - 8W - 3000K	GT18392	10	985	98.5
G3 LED Frosted Outer Drop Glass - 8W - 4000K	GT15073	10	1050	105.0
G3 LED Halo - 16W - 3000K	GT18403	20	1985	99.3
G3 LED Halo - 16W - 4000K	GT15080	20	2115	105.8
G3 LED Halo - 21W - 3000K	GT18404	26	2505	96.3
G3 LED Halo - 21W - 4000K	GT18377	26	2670	102.7
G3 LED Halo - 8W - 3000K	GT18402	10	1095	109.5
G3 LED Halo - 8W - 4000K	GT15079	10	1165	116.5
G3 LED IK10 Polycarbonate - 16W - 3000K	GT18406	20	1870	93.5
G3 LED IK10 Polycarbonate - 16W - 4000K	GT15083	20	1990	99.5
G3 LED IK10 Polycarbonate - 21W - 3000K	GT18407	26	2360	90.8
G3 LED IK10 Polycarbonate - 21W - 4000K	GT18378	26	2515	96.7
G3 LED IK10 Polycarbonate - 8W - 3000K	GT18405	10	1030	103.0
G3 LED IK10 Polycarbonate - 8W - 4000K	GT15082	10	1095	109.5
G3 LED IP65 Clear Glass - 16W - 3000K	GT18412	20	1910	95.5
G3 LED IP65 Clear Glass - 16W - 4000K	GT15086	20	2035	101.8
G3 LED IP65 Clear Glass - 21W - 3000K	GT18413	26	2410	92.7
G3 LED IP65 Clear Glass - 21W - 4000K	GT18382	26	2565	98.7
G3 LED IP65 Clear Glass - 8W - 3000K	GT18411	10	1050	105.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
G3 LED IP65 Clear Glass - 8W - 4000K	GT15085	10	1120	112.0
G3 LED IP65 Clear Polycarbonate - 16W - 3000K	GT18418	20	1820	91.0
G3 LED IP65 Clear Polycarbonate - 16W - 4000K	GT15092	20	1940	97.0
G3 LED IP65 Clear Polycarbonate - 16W - 4000K - Ligature Resistant	GT20195	20	1940	97.0
G3 LED IP65 Clear Polycarbonate - 21W - 3000K	GT18419	26	2300	88.5
G3 LED IP65 Clear Polycarbonate - 21W - 4000K	GT18384	26	2450	94.2
G3 LED IP65 Clear Polycarbonate - 8W - 3000K	GT18417	10	1000	100.0
G3 LED IP65 Clear Polycarbonate - 8W - 4000K	GT15091	10	1065	106.5
G3 LED IP65 Clear Polycarbonate - 8W - 4000K - Ligature Resistant	GT20194	10	1065	106.5
G3 LED IP65 Frosted Glass - 16W - 3000K	GT18415	20	1685	84.3
G3 LED IP65 Frosted Glass - 16W - 4000K	GT15089	20	1795	89.8
G3 LED IP65 Frosted Glass - 21W - 3000K	GT18416	26	2125	81.7
G3 LED IP65 Frosted Glass - 21W - 4000K	GT18383	26	2265	87.1
G3 LED IP65 Frosted Glass - 8W - 3000K	GT18414	10	925	92.5
G3 LED IP65 Frosted Glass - 8W - 4000K	GT15088	10	985	98.5
G3 LED IP65 Satin Polycarbonate - 16W - 4000K - Ligature Resistant	GT20197	20	1650	82.5
G3 LED IP65 Satin Polycarbonate - 8W - 4000K - Ligature Resistant	GT20196	10	835	83.5
G3 LED Open - 16W - 3000K	GT18388	20	2075	103.8
G3 LED Open - 16W - 4000K	GT15071	20	2210	110.5
G3 LED Open - 21W - 3000K	GT18389	26	2620	100.8
G3 LED Open - 21W - 4000K	GT18371	26	2790	107.3
G3 LED Open - 8W - 3000K	GT18387	10	1140	114.0
G3 LED Open - 8W - 4000K	GT15070	10	1215	121.5
G3 MRI - 11W - 4000K	GT20080	12	1600	133.3
G3 Pro LED Black Reflector - 11W - Broad Distribution - 3000K	GT19898	14	1570	112.1
G3 Pro LED Black Reflector - 11W - Broad Distribution - 3000K	GT19404	14	1570	112.1
G3 Pro LED Black Reflector - 11W - Broad Distribution - 4000K	GT19408	14	1690	120.7
G3 Pro LED Black Reflector - 11W - Broad Distribution - 4000K	GT19902	14	1670	119.3
G3 Pro LED Black Reflector - 11W - Smart - Broad Distribution - 3000K	GT19396	14	1570	112.1
G3 Pro LED Black Reflector - 11W - Smart - Broad Distribution - 4000K	GT19400	14	1690	120.7
G3 Pro LED Black Reflector - 24W - Broad Distribution - 3000K	GT19405	28	3010	107.5
G3 Pro LED Black Reflector - 24W - Broad Distribution - 3000K	GT19899	29	3010	103.8
G3 Pro LED Black Reflector - 24W - Broad Distribution - 4000K	GT19409	28	3235	115.5
G3 Pro LED Black Reflector - 24W - Broad Distribution - 4000K	GT19903	29	3235	111.6
G3 Pro LED Black Reflector - 24W - Smart - Broad Distribution - 3000K	GT19397	28	3010	107.5
G3 Pro LED Black Reflector - 24W - Smart - Broad Distribution - 4000K	GT19401	28	3235	115.5
G3 Pro LED Black Reflector - 40W - Broad Distribution - 3000K	GT19900	45	4485	99.7
G3 Pro LED Black Reflector - 40W - Broad Distribution - 4000K	GT19904	45	4820	107.1
G3 Pro LED Black Reflector - 40W - Narrow Distribution - 3000K	GT19901	45	4420	98.2
G3 Pro LED Black Reflector - 40W - Narrow Distribution - 4000K	GT19905	45	4755	105.7
G3 Pro LED Black Reflector - 51W - Broad Distribution - 3000K	GT19406	57	5255	92.2
G3 Pro LED Black Reflector - 51W - Broad Distribution - 4000K	GT19410	57	5650	99.1
G3 Pro LED Black Reflector - 51W - Narrow Distribution - 3000K	GT19407	57	5415	95.0
G3 Pro LED Black Reflector - 51W - Narrow Distribution - 4000K	GT19411	57	5825	102.2
G3 Pro LED Black Reflector - 51W - Smart - Broad Distribution - 3000K	GT19389	57	5255	92.2
G3 Pro LED Black Reflector - 51W - Smart - Broad Distribution - 4000K	GT19402	57	5650	99.1
G3 Pro LED Black Reflector - 51W - Smart - Narrow Distribution - 3000K	GT19399	57	5415	95.0
G3 Pro LED Black Reflector - 51W - Smart - Narrow Distribution - 4000K	GT19403	57	5825	102.2
G3 Pro LED White Reflector - 11W - Broad Distribution - 3000K	GT19890	14	1580	112.9
G3 Pro LED White Reflector - 11W - Broad Distribution - 3000K	GT19388	14	1580	112.9
G3 Pro LED White Reflector - 11W - Broad Distribution - 4000K	GT19894	14	1700	121.4
G3 Pro LED White Reflector - 11W - Broad Distribution - 4000K	GT19392	14	1700	121.4
G3 Pro LED White Reflector - 11W - Smart - Broad Distribution - 3000K	GT19380	14	1580	112.9

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
G3 Pro LED White Reflector - 11W - Smart - Broad Distribution - 4000K	GT19384	14	1700	121.4
G3 Pro LED White Reflector - 24W - Broad Distribution - 3000K	GT19389	28	3030	108.2
G3 Pro LED White Reflector - 24W - Broad Distribution - 3000K	GT19891	29	3030	104.5
G3 Pro LED White Reflector - 24W - Broad Distribution - 4000K	GT19393	28	3260	116.4
G3 Pro LED White Reflector - 24W - Broad Distribution - 4000K	GT19895	29	3260	112.4
G3 Pro LED White Reflector - 24W - Smart - Broad Distribution - 3000K	GT19381	28	3030	108.2
G3 Pro LED White Reflector - 24W - Smart - Broad Distribution - 4000K	GT19385	28	3260	116.4
G3 Pro LED White Reflector - 40W - Broad Distribution - 3000K	GT19892	45	4545	101.0
G3 Pro LED White Reflector - 40W - Broad Distribution - 4000K	GT19896	45	4885	108.6
G3 Pro LED White Reflector - 40W - Narrow Distribution - 3000K	GT19893	45	4515	100.3
G3 Pro LED White Reflector - 40W - Narrow Distribution - 4000K	GT19897	45	4855	107.9
G3 Pro LED White Reflector - 51W - Broad Distribution - 3000K	GT19390	57	5285	92.7
G3 Pro LED White Reflector - 51W - Broad Distribution - 4000K	GT19394	57	5685	99.7
G3 Pro LED White Reflector - 51W - Narrow Distribution - 3000K	GT19391	57	5460	95.8
G3 Pro LED White Reflector - 51W - Narrow Distribution - 4000K	GT19395	57	5870	103.0
G3 Pro LED White Reflector - 51W - Smart - Broad Distribution - 3000K	GT19382	57	5285	92.7
G3 Pro LED White Reflector - 51W - Smart - Broad Distribution - 4000K	GT19386	57	5685	99.7
G3 Pro LED White Reflector - 51W - Smart - Narrow Distribution - 3000K	GT19383	57	5460	95.8
G3 Pro LED White Reflector - 51W - Smart - Narrow Distribution - 4000K	GT19387	57	5870	103.0
G3 Pro Surface LED Black Reflector - 24W - Broad Distribution - 3000K	GT19899	29	3010	103.8
G3 Pro Surface LED Black Reflector - 11W - Broad Distribution - 3000K	GT19898	14	1570	112.1
G3 Pro Surface LED Black Reflector - 11W - Broad Distribution - 4000K	GT19902	14	1690	120.7
G3 Pro Surface LED Black Reflector - 24W - Broad Distribution - 4000K	GT19903	29	3235	111.6
G3 Pro Surface LED Black Reflector - 40W - Broad Distribution - 3000K	GT19900	45	4485	99.7
G3 Pro Surface LED Black Reflector - 40W - Broad Distribution - 4000K	GT19904	45	4820	107.1
G3 Pro Surface LED Black Reflector - 40W - Narrow Distribution - 3000K	GT19901	45	4420	98.2
G3 Pro Surface LED Black Reflector - 40W - Narrow Distribution - 4000K	GT19905	45	4755	105.7
G3 Pro Surface LED White Reflector - 11W - Broad Distribution - 3000K	GT19890	14	1580	112.9
G3 Pro Surface LED White Reflector - 11W - Broad Distribution - 4000K	GT19894	14	1700	121.4
G3 Pro Surface LED White Reflector - 24W - Broad Distribution - 3000K	GT19891	29	3030	104.5
G3 Pro Surface LED White Reflector - 24W - Broad Distribution - 4000K	GT19895	29	3260	112.4
G3 Pro Surface LED White Reflector - 40W - Broad Distribution - 3000K	GT19892	45	4545	101.0
G3 Pro Surface LED White Reflector - 40W - Broad Distribution - 4000K	GT19896	45	4885	108.6
G3 Pro Surface LED White Reflector - 40W - Narrow Distribution - 3000K	GT19893	45	4515	100.3
G3 Pro Surface LED White Reflector - 40W - Narrow Distribution - 4000K	GT19897	45	4855	107.9
Glodome LED - 16W	GLO16483	20	2385	119.3
Glodome LED - 20W	GLO16484	25	2990	119.6
Glodome LED - 20W - Smart	GLO17426	25	2990	119.6
Glodome LED - 26W	GLO15856	29	3945	136.0
Glodome LED - 8W	GLO17405	10	1290	129.0
GP Linear LED - 46W Faceted Cross Blade	GP16251	52	3535	68.0
GP Linear LED - 46W Prismatic Polycarbonate	GP16253	52	3935	75.7
GP Linear LED - 46W V Blade	GP16249	52	4380	84.2
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2200K	HP19294VGN	8	630	51.0
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2200K	HP19294VGN	8	630	51.0
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2200K	HP19294VGN	8	630	51.0
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2200K	HP19294VGN	8	630	51.0
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2700K	HP19295VGN	8	806	65.2
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2700K	HP19295VGN	8	806	65.2
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2700K	HP19295VGN	8	806	65.2
Heritage Pendant - Drum 16" - 8W - British Racing Green - 2700K	HP19295VGN	8	806	65.2
Heritage Pendant - Drum 16" - 8W - Ivory - 2200K	HP19294VW	8	630	51.0
Heritage Pendant - Drum 16" - 8W - Ivory - 2200K	HP19294VW	8	630	51.0

21 Feb 24

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Heritage Pendant - Traditional 16" - 8W - Ivory - 2700K	HP19292VW	8	806	77.3
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 17W - 4000K	HB18701 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 17W - Smart - 4000K	HB18695 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 30W - 4000K	HB18702 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 30W - Smart - 4000K	HB18696 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 45W - 4000K	HB18703 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Recessed Continuous 1500mm - 45W - Smart - 4000K	HB18697 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 34W - 4000K	HB18704 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 34W - Smart - 4000K	HB18698 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 60W - 4000K	HB18705 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 60W - Smart - 4000K	HB18699 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 90W - 4000K	HB18706 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Recessed Continuous 3000mm - 90W - Smart - 4000K	HB18700 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Recessed Individual - 17W - 4000K	HB18679	20	1725	86.3
Hi-Bar Low Glare LED Recessed Individual - 17W - Smart - 4000K	HB18674	20	1725	86.3
Hi-Bar Low Glare LED Recessed Individual - 30W - 4000K	HB18680	33	2975	90.2
Hi-Bar Low Glare LED Recessed Individual - 30W - Smart - 4000K	HB18675	33	2975	90.2
Hi-Bar Low Glare LED Recessed Individual - 45W - 4000K	HB18681	53	4300	81.1
Hi-Bar Low Glare LED Recessed Individual - 45W - Smart - 4000K	HB18676	53	4300	81.1
Hi-Bar Low Glare LED Recessed Left-hand Corner - 17W - 4000K	HB19252	20	1725	86.3
Hi-Bar Low Glare LED Recessed Left-hand Corner - 17W - Smart - 4000K	HB19246	20	1725	86.3
Hi-Bar Low Glare LED Recessed Left-hand Corner - 30W - 4000K	HB19253	33	2975	90.2
Hi-Bar Low Glare LED Recessed Left-hand Corner - 30W - Smart - 4000K	HB19247	33	2795	84.7
Hi-Bar Low Glare LED Recessed Left-hand Corner - 45W - 4000K	HB19254	53	4300	81.1
Hi-Bar Low Glare LED Recessed Left-hand Corner - 45W - Smart - 4000K	HB19248	53	4300	81.1
Hi-Bar Low Glare LED Recessed Right-hand Corner - 17W - 4000K	HB19255	20	1725	86.3
Hi-Bar Low Glare LED Recessed Right-hand Corner - 17W - Smart - 4000K	HB19249	20	1725	86.3
Hi-Bar Low Glare LED Recessed Right-hand Corner - 30W - 4000K	HB19256	33	2975	90.2
Hi-Bar Low Glare LED Recessed Right-hand Corner - 30W - Smart - 4000K	HB19250	33	2795	84.7
Hi-Bar Low Glare LED Recessed Right-hand Corner - 45W - 4000K	HB19257	53	4300	81.1
Hi-Bar Low Glare LED Recessed Right-hand Corner - 45W - Smart - 4000K	HB19251	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - 4000K	HB18716 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - 4000K	HB18716 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - 4000K - With Uplight	HB18716UL + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - 4000K - With Uplight	HB18716UL + HB18668	40	3000	75.0
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - 4000K	HB18713 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - 4000K	HB18713 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - 4000K - With Uplight	HB18713UL + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - 4000K - With Uplight	HB18713UL + HB18668	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K	HB18707 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K	HB18707 + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K - With Uplight	HB18707UL + HB18668	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K - With Uplight	HB18707UL + HB18668	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - 4000K	HB18714 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - 4000K	HB18714 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - 4000K - With Uplight	HB18714UL + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - 4000K - With Uplight	HB18714UL + HB18668	33	2600	78.8

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K	HB18708 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K	HB18708 + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K - With Uplight	HB18708UL + HB18668	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K - With Uplight	HB18708UL + HB18668	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - 4000K	HB18715 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - 4000K	HB18715 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - 4000K - With Uplight	HB18715UL + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - 4000K - With Uplight	HB18715UL + HB18668	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K	HB18709 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K	HB18709 + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K - With Uplight	HB18709UL + HB18668	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K - With Uplight	HB18709UL + HB18668	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K	HB18710 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K	HB18710 + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K - With Uplight	HB18710UL + HB18668	40	3450	86.3
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K - With Uplight	HB18710UL + HB18668	40	3000	75.0
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - 4000K	HB18717 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - 4000K	HB18717 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - 4000K - With Uplight	HB18717UL + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - 4000K - With Uplight	HB18717UL + HB18668	66	5200	78.8
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K	HB18711 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K	HB18711 + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K - With Uplight	HB18711UL + HB18668	66	5950	90.2
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K - With Uplight	HB18711UL + HB18668	66	5200	78.8
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - 4000K	HB18718 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - 4000K	HB18718 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - 4000K - With Uplight	HB18718UL + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - 4000K - With Uplight	HB18718UL + HB18668	106	7040	66.4
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K	HB18712 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K	HB18712 + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K - With Uplight	HB18712UL + HB18668	106	8600	81.1
Hi-Bar Low Glare LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K - With Uplight	HB18712UL + HB18668	106	7040	66.4
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - 4000K	HB18692	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - 4000K	HB18692	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - 4000K - With Uplight	HB18692UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - 4000K - With Uplight	HB18692UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - Smart - 4000K	HB18686	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - Smart - 4000K	HB18686	20	1725	86.3

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - Smart - 4000K - With Uplight	HB18686UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Individual - 17W - Smart - 4000K - With Uplight	HB18686UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - 4000K	HB18693	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - 4000K	HB18693	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - 4000K - With Uplight	HB18693UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - 4000K - With Uplight	HB18693UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - Smart - 4000K	HB18687	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - Smart - 4000K	HB18687	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - Smart - 4000K - With Uplight	HB18687UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Individual - 30W - Smart - 4000K - With Uplight	HB18687UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - 4000K	HB18694	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - 4000K	HB18694	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - 4000K - With Uplight	HB18694UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - 4000K - With Uplight	HB18694UL	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - Smart - 4000K	HB18688	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - Smart - 4000K	HB18688	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - Smart - 4000K - With Uplight	HB18688UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Individual - 45W - Smart - 4000K - With Uplight	HB18688UL	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - 4000K	HB19240	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - 4000K	HB19240	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - 4000K - With Uplight	HB19240UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - 4000K - With Uplight	HB19240UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K	HB19234	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K	HB19234	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K - With Uplight	HB19234UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K - With Uplight	HB19234UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - 4000K	HB19241	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - 4000K	HB19241	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - 4000K - With Uplight	HB19241UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - 4000K - With Uplight	HB19241UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K	HB19235	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K	HB19235	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K - With Uplight	HB19235UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K - With Uplight	HB19235UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - 4000K	HB19242	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - 4000K	HB19242	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - 4000K - With Uplight	HB19242UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - 4000K - With Uplight	HB19242UL	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K	HB19236	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K	HB19236	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K - With Uplight	HB19236UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K - With Uplight	HB19236UL	53	3520	66.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - 4000K	HB19243UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - 4000K	HB19243UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - 4000K - With Uplight	HB19243UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - 4000K - With Uplight	HB19243UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K	HB19237	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K	HB19237	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K - With Uplight	HB19237UL	20	1725	86.3
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K - With Uplight	HB19237UL	20	1500	75.0
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - 4000K	HB19244	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - 4000K	HB19244	35	2975	85.0
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - 4000K - With Uplight	HB19244UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - 4000K - With Uplight	HB19244UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K	HB19238	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K	HB19238	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K - With Uplight	HB19238UL	33	2975	90.2
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K - With Uplight	HB19238UL	33	2600	78.8
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - 4000K	HB19245	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - 4000K	HB19245	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - 4000K - With Uplight	HB19245UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - 4000K - With Uplight	HB19245UL	53	3520	66.4
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K	HB19239	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K	HB19239	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K - With Uplight	HB19239UL	53	4300	81.1
Hi-Bar Low Glare LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K - With Uplight	HB19239UL	53	3520	66.4
Hi-Bar Opal LED Recessed Continuous 1500mm - 17W - 4000K	HB18701 + HB18667	20	2190	109.5
Hi-Bar Opal LED Recessed Continuous 1500mm - 17W - Smart - 4000K	HB18695 + HB18667	20	2190	109.5
Hi-Bar Opal LED Recessed Continuous 1500mm - 30W - 4000K	HB18702 + HB18667	33	3775	114.4
Hi-Bar Opal LED Recessed Continuous 1500mm - 30W - Smart - 4000K	HB18696 + HB18667	33	3775	114.4
Hi-Bar Opal LED Recessed Continuous 1500mm - 45W - 4000K	HB18703 + HB18667	53	5455	102.9
Hi-Bar Opal LED Recessed Continuous 1500mm - 45W - Smart - 4000K	HB18697 + HB18667	53	5455	102.9
Hi-Bar Opal LED Recessed Continuous 3000mm - 34W - 4000K	HB18704 + HB18667	40	4380	109.5
Hi-Bar Opal LED Recessed Continuous 3000mm - 34W - Smart - 4000K	HB18698 + HB18667	40	4380	109.5
Hi-Bar Opal LED Recessed Continuous 3000mm - 60W - 4000K	HB18705 + HB18667	66	7550	114.4
Hi-Bar Opal LED Recessed Continuous 3000mm - 60W - Smart - 4000K	HB18699 + HB18667	66	7550	114.4
Hi-Bar Opal LED Recessed Continuous 3000mm - 90W - 4000K	HB18706 + HB18667	106	10910	102.9
Hi-Bar Opal LED Recessed Continuous 3000mm - 90W - Smart - 4000K	HB18700 + HB18667	106	10910	102.9
Hi-Bar Opal LED Recessed Individual - 17W - 4000K	HB18677	20	2190	109.5
Hi-Bar Opal LED Recessed Individual - 17W - Smart - 4000K	HB18671	20	2190	109.5
Hi-Bar Opal LED Recessed Individual - 30W - 4000K	HB18678	33	3775	114.4
Hi-Bar Opal LED Recessed Individual - 30W - Smart - 4000K	HB18672	33	3775	114.4
Hi-Bar Opal LED Recessed Individual - 45W - 4000K	HB18679	53	5455	102.9
Hi-Bar Opal LED Recessed Individual - 45W - Smart - 4000K	HB18673	53	5455	102.9
Hi-Bar Opal LED Recessed Left-hand Corner - 17W - 4000K	HB19228	20	2190	109.5
Hi-Bar Opal LED Recessed Left-hand Corner - 17W - Smart - 4000K	HB19222	20	2190	109.5
Hi-Bar Opal LED Recessed Left-hand Corner - 30W - 4000K	HB19229	33	3775	114.4
Hi-Bar Opal LED Recessed Left-hand Corner - 30W - Smart - 4000K	HB19223	33	3775	114.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Opal LED Recessed Left-hand Corner - 45W - 4000K	HB19230	53	5455	102.9
Hi-Bar Opal LED Recessed Left-hand Corner - 45W - Smart - 4000K	HB19224	53	5455	102.9
Hi-Bar Opal LED Recessed Right-hand Corner - 17W - 4000K	HB19231	20	2190	109.5
Hi-Bar Opal LED Recessed Right-hand Corner - 17W - Smart - 4000K	HB19225	20	2190	109.5
Hi-Bar Opal LED Recessed Right-hand Corner - 30W - 4000K	HB19232	33	3775	114.4
Hi-Bar Opal LED Recessed Right-hand Corner - 30W - Smart - 4000K	HB19226	33	3775	114.4
Hi-Bar Opal LED Recessed Right-hand Corner - 45W - 4000K	HB19233	53	5455	102.9
Hi-Bar Opal LED Recessed Right-hand Corner - 45W - Smart - 4000K	HB19227	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - 4000K	HB18713 + HB18667	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - 4000K	HB18713 + HB18667	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - 4000K - With Uplight	HB18713UL + HB18667	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - 4000K - With Uplight	HB18713UL + HB18667	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K	HB18707 + HB18667	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K	HB18707 + HB18667	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K - With Uplight	HB18707UL + HB18667	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 17W - Smart - 4000K - With Uplight	HB18707UL + HB18667	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - 4000K	HB18714 + HB18667	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - 4000K	HB18714 + HB18667	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - 4000K - With Uplight	HB18714UL + HB18667	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - 4000K - With Uplight	HB18714UL + HB18667	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K	HB18708 + HB18667	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K	HB18708 + HB18667	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K - With Uplight	HB18708UL + HB18667	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 30W - Smart - 4000K - With Uplight	HB18708UL + HB18667	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - 4000K	HB18715 + HB18667	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - 4000K	HB18715 + HB18667	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - 4000K - With Uplight	HB18715UL + HB18667	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - 4000K - With Uplight	HB18715UL + HB18667	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K	HB18709 + HB18667	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K	HB18709 + HB18667	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K - With Uplight	HB18709UL + HB18667	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 1500mm - 45W - Smart - 4000K - With Uplight	HB18709UL + HB18667	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - 4000K	HB18716 + HB18667	40	4380	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - 4000K	HB18716 + HB18667	40	4380	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - 4000K - With Uplight	HB18716UL + HB18667	40	3470	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - 4000K - With Uplight	HB18716UL + HB18667	40	3470	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K	HB18710 + HB18667	40	4380	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K	HB18710 + HB18667	40	4380	109.5
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K - With Uplight	HB18710UL + HB18667	40	3470	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 34W - Smart - 4000K - With Uplight	HB18710UL + HB18667	40	3470	86.8
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - 4000K	HB18717 + HB18667	66	7550	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - 4000K	HB18717 + HB18667	66	7550	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - 4000K - With Uplight	HB18717UL + HB18667	66	6030	91.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - 4000K - With Uplight	HB18717UL + HB18667	66	6030	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K	HB18711 + HB18667	66	7550	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K	HB18711 + HB18667	66	7550	114.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K - With Uplight	HB18711UL + HB18667	66	6030	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 60W - Smart - 4000K - With Uplight	HB18711UL + HB18667	66	6030	91.4
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - 4000K	HB18718 + HB18667	106	10910	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - 4000K	HB18718 + HB18667	106	10910	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - 4000K - With Uplight	HB18718UL + HB18667	106	8170	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - 4000K - With Uplight	HB18718UL + HB18667	106	8170	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K	HB18712 + HB18667	106	10910	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K	HB18712 + HB18667	106	10910	102.9
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K - With Uplight	HB18712UL + HB18667	106	8170	77.1
Hi-Bar Opal LED Surface / Suspended Continuous 3000mm - 90W - Smart - 4000K - With Uplight	HB18712UL + HB18667	106	8170	77.1
Hi-Bar Opal LED Surface / Suspended Individual - 17W - 4000K	HB18689	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Individual - 17W - 4000K	HB18689	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Individual - 17W - 4000K - With Uplight	HB18689UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Individual - 17W - 4000K - With Uplight	HB18689UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Individual - 17W - Smart - 4000K	HB18683	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Individual - 17W - Smart - 4000K	HB18683	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Individual - 17W - Smart - 4000K - With Uplight	HB18683UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Individual - 17W - Smart - 4000K - With Uplight	HB18683UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Individual - 30W - 4000K	HB18690	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - 4000K	HB18690	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - 4000K - With Uplight	HB18690UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - 4000K - With Uplight	HB18690UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - Smart - 4000K	HB18684	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - Smart - 4000K	HB18684	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - Smart - 4000K - With Uplight	HB18684UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Individual - 30W - Smart - 4000K - With Uplight	HB18684UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Individual - 45W - 4000K	HB18691	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Individual - 45W - 4000K	HB18691	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Individual - 45W - 4000K - With Uplight	HB18691UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Individual - 45W - 4000K - With Uplight	HB18691UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Individual - 45W - Smart - 4000K	HB18685	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Individual - 45W - Smart - 4000K	HB18685	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Individual - 45W - Smart - 4000K - With Uplight	HB18685UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Individual - 45W - Smart - 4000K - With Uplight	HB18685UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - 4000K	HB19216	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - 4000K	HB19216	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - 4000K - With Uplight	HB19216UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - 4000K - With Uplight	HB19216UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K	HB19210	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K	HB19210	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K - With Uplight	HB19210UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 17W - Smart - 4000K - With Uplight	HB19210UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - 4000K	HB19217	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - 4000K	HB19217	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - 4000K - With Uplight	HB19217UL	33	3015	91.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - 4000K - With Uplight	HB19217UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K	HB19211	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K	HB19211	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K - With Uplight	HB19211UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 30W - Smart - 4000K - With Uplight	HB19211UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - 4000K	HB19218	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - 4000K	HB19218	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - 4000K - With Uplight	HB19218UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - 4000K - With Uplight	HB19218UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K	HB19212	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K	HB19212	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K - With Uplight	HB19212UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Left-hand Corner - 45W - Smart - 4000K - With Uplight	HB19212UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - 4000K	HB19219	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - 4000K	HB19219	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - 4000K - With Uplight	HB19219UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - 4000K - With Uplight	HB19219UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K	HB19213	20	2190	109.5
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K	HB19213	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K - With Uplight	HB19313UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 17W - Smart - 4000K - With Uplight	HB19313UL	20	1735	86.8
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - 4000K	HB19220	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - 4000K	HB19220	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - 4000K - With Uplight	HB19220UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - 4000K - With Uplight	HB19220UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K	HB19214	33	3775	114.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K	HB19214	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K - With Uplight	HB19214UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 30W - Smart - 4000K - With Uplight	HB19214UL	33	3015	91.4
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - 4000K	HB19221	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - 4000K	HB19221	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - 4000K - With Uplight	HB19221UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - 4000K - With Uplight	HB19221UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K	HB19215	53	5455	102.9
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K	HB19215	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K - With Uplight	HB19215UL	53	4085	77.1
Hi-Bar Opal LED Surface / Suspended Right-hand Corner - 45W - Smart - 4000K - With Uplight	HB19215UL	53	4085	77.1
High Dependency Linear - 46W	HD16245	52	3345	64.3
High Dependency Modular - 112W	HD18770	123	8760	71.2
Hi-Style LED LG7 - 16W - ColourControl	HI18532CC	18	2110	117.2
Hi-Style LED LG7 - 16W - Smart - ColourActive	HI18526CA	18	2110	117.2
Hi-Style LED LG7 - 24W - ColourControl	HI18533CC	27	3080	114.1
Hi-Style LED LG7 - 24W - Smart - ColourActive	HI18527CA	27	3080	114.1
Hi-Style LED LG7 - 34W - ColourControl	HI19133CC	38	4425	116.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Hi-Style LED LG7 - 34W - Smart - ColourActive	HI19132CA	38	4425	116.4
Hi-Style LED Opal - 16W - ColourControl	HI18529CC	18	2235	124.2
Hi-Style LED Opal - 16W - Smart - ColourActive	HI18523CA	18	2235	124.2
Hi-Style LED Opal - 24W - ColourControl	HI18530CC	27	3225	119.4
Hi-Style LED Opal - 24W - Smart - ColourActive	HI18524CA	27	3225	119.4
Hi-Style LED Opal - 34W - ColourControl	HI19131CC	38	4635	122.0
Hi-Style LED Opal - 34W - Smart - ColourActive	HI19130CA	38	4635	122.0
Hi-Style LG7 - 16W	HI16ML	19	2710	142.6
Hi-Style LG7 - 24W	HI24ML	27	3750	138.9
Hi-Style LG7 - 29W	HI29ML	32	4445	138.9
Hi-Style LG7 - 34W	HI34ML	40	5265	131.6
Hi-Style LOW GLARE 1200 X 600 - 36W	HI36LL	40	6015	150.4
Hi-Style LOW GLARE 1200 X 600 - 48W	HI48LL	52	7490	144.0
Hi-Style LOW GLARE 1200 X 600 - 60W	HI60LL	67	9495	141.7
Hi-Style MultiDrive - 16W - Low Glare - 4000K	HIDWSL(16W)	17	2555	150.3
Hi-Style MultiDrive - 16W - Opal - 4000K	HIDWSO(16W)	17	2445	143.8
Hi-Style MultiDrive - 20W - Low Glare - 4000K	HIDWSL(20W)	22	3210	145.9
Hi-Style MultiDrive - 20W - Opal - 4000K	HIDWSO(20W)	22	3080	140.0
Hi-Style MultiDrive - 24W - Low Glare - 4000K	HIDWSL(24W)	25	3775	151.0
Hi-Style MultiDrive - 24W - Opal - 4000K	HIDWSO(24W)	25	3620	144.8
Hi-Style MultiDrive - 29W - Low Glare - 4000K	HIDWSL(29W)	33	4510	136.7
Hi-Style MultiDrive - 29W - Opal - 4000K	HIDWSO(29W)	33	4320	130.9
Hi-Style Opal - 16W	HI16MO	19	2560	134.7
Hi-Style Opal - 24W	HI24MO	27	3550	131.5
Hi-Style Opal - 29W	HI29MO	32	4165	130.2
Hi-Style Opal - 34W	HI34MO	40	5050	126.3
Hi-Style OPAL 1200 X 600 - 36W	HI36LO	40	5880	147.0
Hi-Style OPAL 1200 X 600 - 48W	HI48LO	52	7350	141.3
Hi-Style OPAL 1200 X 600 - 60W	HI60LO	67	9330	139.3
Hyline 1200x300 - 23W - 4000K	HY18791	26	3415	131.3
Hyline 1200x300 - 23W - Smart - 4000K	HY18776	26	3415	131.3
Hyline 1200x300 - 29W - 4000K	HY18793	31	4270	137.7
Hyline 1200x300 - 29W - Smart - 4000K	HY18778	31	4270	137.7
Hyline 1200x300 - 37W - 4000K	HY18794	39	5360	137.4
Hyline 1200x300 - 37W - Smart - 4000K	HY18779	39	5360	137.4
Hyline 600x600 - 23W - 4000K	HY18786	26	3150	121.2
Hyline 600x600 - 23W - Smart - 4000K	HY18771	26	3150	121.2
Hyline 600x600 - 29W - 4000K	HY18788	31	4025	129.8
Hyline 600x600 - 29W - Smart - 4000K	HY18773	31	4025	129.8
Hyline 600x600 - 37W - 4000K	HY18789	39	5070	130.0
Hyline 600x600 - 37W - Smart - 4000K	HY18774	39	5070	130.0
Jubilee LED - 14W	JUB19636	18	2575	143.1
Jubilee LED - 18W	JUB16947	22	3175	144.3
Jubilee LED - 21W	JUB16506	25	3545	141.8
Jubilee LED - 30W	JUB16507	35	5010	143.1
Jubilee LED - 30W - ColourControl	JUB18804CC	34	3481	102.4
Jubilee LED - 30W - Smart - ColourActive	JUB18801CA	34	3480	102.4
Jubilee LED - 31W	JUB16948	35	5270	150.6
Jubilee LED - 37W - ColourControl	JUB18805CC	42	4175	99.4
Jubilee LED - 37W - Smart - ColourActive	JUB18802CA	42	4175	99.4
Jubilee LED - 43W	JUB16508	50	6915	138.3
Jubilee LED - 51W	JUB16509	58	8065	139.1
Jubilee LED Smart - 14W	JUB19635	18	2575	143.1

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Jubilee LED Smart - 18W	JUB16945	22	3175	144.3
Jubilee LED Smart - 21W	JUB16502	25	3545	141.8
Jubilee LED Smart - 30W	JUB16503	35	5010	143.1
Jubilee LED Smart - 31W	JUB16946	35	5270	150.6
Jubilee LED Smart - 43W	JUB16504	50	6915	138.3
Jubilee LED Smart - 51W	JUB16505	58	8065	139.1
Jubilee XL LED - 14W	JUB19631	18	2635	146.4
Jubilee XL LED - 18W	JUB16951	22	3210	145.9
Jubilee XL LED - 21W	JUB16697	25	3625	145.0
Jubilee XL LED - 30W	JUB16698	35	5105	145.9
Jubilee XL LED - 31W	JUB16952	35	5315	151.9
Jubilee XL LED - 43W	JUB16699	50	7120	142.4
Jubilee XL LED Smart - 14W	JUB19632	18	2635	146.4
Jubilee XL LED Smart - 18W	JUB16949	22	3210	145.9
Jubilee XL LED Smart - 21W	JUB16693	25	3625	145.0
Jubilee XL LED Smart - 30W	JUB16694	35	5105	145.9
Jubilee XL LED Smart - 31W	JUB16950	35	5315	151.9
Jubilee XL LED Smart - 43W	JUB16695	50	7120	142.4
Juno A - 31W	JUN17672	36	4320	120.0
Juno A - 52W	JUN17673	61	6825	111.9
Juno B - 101W - Asymmetric Distribution	JUN19659	110	12970	117.9
Juno B - 101W - Symmetric Distribution	JUN19658	110	13560	123.3
Juno B - 37W - Asymmetric Distribution	JUN19202	42	5380	128.1
Juno B - 37W - Symmetric Distribution	JUN19200	42	5725	136.3
Juno B - 78W - Asymmetric Distribution	JUN19203	87	10420	119.8
Juno B - 78W - Symmetric Distribution	JUN19201	87	11015	126.6
Juno C - 52W	JUN17678	61	6360	104.3
Juno C - 52W Smart	JUN17676	61	6360	104.3
Juno C - 78W	JUN17679	89	9155	102.9
Juno C - 78W Smart	JUN17676	89	9155	102.9
Juno D - 132W - Asymmetric Distribution	JUN18635	144	18160	126.1
Juno D - 166W - Asymmetric Distribution	JUN18636	180	22040	122.4
Juno D - 177W - Symmetric Distribution	JUN18631	197	26980	137.0
Juno D - 246W - Symmetric Distribution	JUN18632	271	38265	141.2
Juno D - 326W - Symmetric Distribution	JUN18633	350	47575	135.9
Juno D - 99W - Asymmetric Distribution	JUN18634	108	13880	128.5
Kanby Evo - 15W - Low Glare	KE18697	19	2280	120.0
Kanby Evo - 15W - Opal	KE18959	19	2190	115.3
Kanby Evo - 15W - Smart - Low Glare	KE18951	19	2280	120.0
Kanby Evo - 15W - Smart - Opal	KE18943	19	2190	115.3
Kanby Evo - 22W - Low Glare	KE18972	25	3470	138.8
Kanby Evo - 22W - Opal	KE18964	25	3330	133.2
Kanby Evo - 22W - Smart - Low Glare	KE18956	25	3470	138.8
Kanby Evo - 22W - Smart - Opal	KE18948	25	3330	133.2
Kanby Evo - 26W - Low Glare	KE18968	29	3860	133.1
Kanby Evo - 26W - Opal	KE18960	29	3705	127.8
Kanby Evo - 26W - Smart - Low Glare	KE18952	29	3860	133.1
Kanby Evo - 26W - Smart - Opal	KE18944	29	3705	127.8
Kanby Evo - 36W - Low Glare	KE18973	41	5490	133.9
Kanby Evo - 36W - Opal	KE18965	41	5270	128.5
Kanby Evo - 36W - Smart - Low Glare	KE18957	41	5490	133.9
Kanby Evo - 36W - Smart - Opal	KE18949	41	5270	128.5
Kanby Evo - 43W - Low Glare	KE18974	49	6510	132.9

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Kanby Evo - 43W - Opal	KE18966	49	6250	127.6
Kanby Evo - 43W - Smart - Low Glare	KE18958	49	6510	132.9
Kanby Evo - 43W - Smart - Opal	KE18950	49	6250	127.6
Kanby LED Controller - 21W - Narrow Body	KB17607	25	3555	142.2
Kanby LED Controller - 28W - Narrow Body	KB16105	33	4590	139.1
Kanby LED Controller - 30W - ColourControl	KB18816CC	34	4075	119.9
Kanby LED Controller - 30W - Smart - ColourActive	KB18813CA	34	4075	119.9
Kanby LED Controller - 37W - ColourControl	KB18817CC	42	4845	115.4
Kanby LED Controller - 37W - Narrow Body	KB16106	43	5860	136.3
Kanby LED Controller - 37W - Smart - ColourActive	KB18814CA	42	4845	115.4
Kanby LED Controller - 49W - Wide Body	KB16101	57	7670	134.6
Kanby LED Controller - 63W - Wide Body	KB16102	71	9465	133.3
Kanby LED Controller Smart - 21W - Narrow Body	KB17606	25	3555	142.2
Kanby LED Controller Smart - 28W - Narrow Body	KB16107	33	4590	139.1
Kanby LED Controller Smart - 37W - Narrow Body	KB16108	43	5860	136.3
Kanby LED Controller Smart - 49W - Wide Body	KB16103	57	7670	134.6
Kanby LED Controller Smart - 63W - Wide Body	KB16104	71	9465	133.3
Kanby Max Broad - 22W - 4000K	KB19646	25	3920	156.8
Kanby Max Broad - 22W - Smart - 4000K	KB19640	25	3920	156.8
Kanby Max Broad - 30W - 4000K	KB19647	34	5355	157.5
Kanby Max Broad - 30W - Smart - 4000K	KB19641	34	5355	157.5
Kanby Max Broad - 52W - 4000K	KB19648	59	9115	154.5
Kanby Max Broad - 52W - Smart - 4000K	KB19642	59	9115	154.5
Kanby Max Narrow - 22W - 4000K	KB19649	25	3840	153.6
Kanby Max Narrow - 22W - Smart - 4000K	KB19643	25	3840	153.6
Kanby Max Narrow - 30W - 4000K	KB19650	34	5240	154.1
Kanby Max Narrow - 30W - Smart - 4000K	KB19644	34	5240	154.1
Kanby Max Narrow - 52W - 4000K	KB19651	59	8925	151.3
Kanby Max Narrow - 52W - Smart - 4000K	KB19645	59	8925	151.3
Kanby Pro - 15W - Low Glare	KP18935	19	2280	120.0
Kanby Pro - 15W - Opal	KP18927	19	2190	115.3
Kanby Pro - 15W - Smart - Low Glare	KP18919	19	2280	120.0
Kanby Pro - 15W - Smart - Opal	KP18911	19	2190	115.3
Kanby Pro - 22W - Low Glare	KP18940	25	3470	138.8
Kanby Pro - 22W - Opal	KP18932	25	3330	133.2
Kanby Pro - 22W - Smart - Low Glare	KP18924	25	3470	138.8
Kanby Pro - 22W - Smart - Opal	KP18916	25	3330	133.2
Kanby Pro - 26W - Low Glare	KP18936	29	3860	133.1
Kanby Pro - 26W - Opal	KP18928	29	3705	127.8
Kanby Pro - 26W - Smart - Low Glare	KP18920	29	3860	133.1
Kanby Pro - 26W - Smart - Opal	KP18912	29	3705	127.8
Kanby Pro - 36W - Low Glare	KP18941	41	5490	133.9
Kanby Pro - 36W - Opal	KP18933	41	5270	128.5
Kanby Pro - 36W - Smart - Low Glare	KP18925	41	5490	133.9
Kanby Pro - 36W - Smart - Opal	KP18917	41	5270	128.5
Kanby Pro - 43W - Low Glare	KP18942	49	6510	132.9
Kanby Pro - 43W - Opal	KP18934	49	6250	127.6
Kanby Pro - 43W - Smart - Low Glare	KP18926	49	6510	132.9
Kanby Pro - 43W - Smart - Opal	KP18918	49	6250	127.6
Kanby Zip - 15W - Low Glare	KZ19003	19	2480	130.5
Kanby Zip - 15W - Opal	KZ18995	19	2380	125.3
Kanby Zip - 15W - Smart - Low Glare	KZ18987	19	2480	130.5
Kanby Zip - 15W - Smart - Opal	KZ18979	19	2380	125.3

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Kanby Zip - 22W - Low Glare	KZ19004	25	3470	138.8
Kanby Zip - 22W - Opal	KZ18996	25	3330	133.2
Kanby Zip - 22W - Smart - Low Glare	KZ18988	25	3470	138.8
Kanby Zip - 22W - Smart - Opal	KZ18980	25	3330	133.2
Kanby Zip - 36W - Low Glare	KZ19005	41	5490	133.9
Kanby Zip - 36W - Opal	KZ18997	41	5270	128.5
Kanby Zip - 36W - Smart - Low Glare	KZ18989	41	5490	133.9
Kanby Zip - 36W - Smart - Opal	KZ18981	41	5270	128.5
Kanby Zip - 43W - Low Glare	KZ19006	49	6510	132.9
Kanby Zip - 43W - Opal	KZ18998	49	6250	127.6
Kanby Zip - 43W - Smart - Low Glare	KZ18990	49	6510	132.9
Kanby Zip - 43W - Smart - Opal	KZ18982	49	6250	127.6
Kanby Zip - 53W - Opal	KZ19009	61	7680	125.9
Kanby Zip - 53W - Smart - Opal	KZ19007	61	7680	125.9
Kast - 10W - Black - 4000K	KT19992	12	1455	121.3
Kast - 10W - White - 4000K	KT19990	12	1455	121.3
Kast - 20W - Black - 4000K	KT19993	22	2860	130.0
Kast - 20W - White - 4000K	KT19991	22	2860	130.0
Light Line Integra LED Continuous - 24W	LL17605	28	4015	143.4
Light Line Integra LED Continuous - 24W Smart	LL17604	28	4015	143.4
Light Line Integra LED Continuous - 31W	LL16154	35	5020	143.4
Light Line Integra LED Continuous - 31W Smart	LL16158	35	5020	143.4
Light Line Integra LED Continuous - 42W	LL16153	48	6485	135.1
Light Line Integra LED Continuous - 42W Smart	LL16157	48	6485	135.1
Light Line Integra LED Continuous - 49W	LL16152	54	7385	136.8
Light Line Integra LED Continuous - 49W Smart	LL16156	54	7385	136.8
Light Line LED - 24W	LL17601	28	4015	143.4
Light Line LED - 24W Smart	LL17600	28	4015	143.4
Light Line LED - 31W	LL16042	35	5020	143.4
Light Line LED - 31W Smart	LL16046	35	5020	143.4
Light Line LED - 42W	LL16041	48	6485	135.1
Light Line LED - 42W Smart	LL16045	48	6485	135.1
Light Line LED - 49W	LL16040	54	7385	136.8
Light Line LED - 49W Smart	LL16044	54	7385	136.8
Light Line LED Continuous - 24W	LL17603	28	4015	143.4
Light Line LED Continuous - 24W Smart	LL17602	28	4015	143.4
Light Line LED Continuous - 31W	LL16052	35	5020	143.4
Light Line LED Continuous - 31W Smart	LL16056	35	5020	143.4
Light Line LED Continuous - 42W	LL16051	48	6485	135.1
Light Line LED Continuous - 42W Smart	LL16055	48	6485	135.1
Light Line LED Continuous - 49W	LL16050	54	7385	136.8
Light Line LED Continuous - 49W Smart	LL16054	54	7385	136.8
Medica - 29W LED Downlight	SMD16376	31	2820	91.0
Medica - 29W LED Uplight	SMD16377	31	2820	91.0
Medica - 39W LED Downlight	SMD16378	44	3755	85.3
Medica - 39W LED Uplight	SMD16378	44	3755	85.3
Mercian LED - 26W 4000K	MER19104	30	3330	111.0
Mercian LED - 26W 5700K	MER19105	30	3330	111.0
Mercian LED Smart - 26W 4000K	MER19102	30	3330	111.0
Mercian LED Smart - 26W 5700K	MER19103	30	3330	111.0
Mina-L 17° Beam - 20W - 3000K	MA17970	24	2170	90.4
Mina-L 17° Beam - 28W - 3000K	MA17971	35	2720	77.7
Mina-L 17° Beam - 28W - 4000K	MA17975	35	2925	83.6

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Mina-L 17° Beam - 35W - 3000K	MA17972	41	3370	82.2
Mina-L 17° Beam - 35W - 4000K	MA17976	41	3625	88.4
Mina-L 28° Beam - 20W - 3000K	MA17978	24	1980	82.5
Mina-L 28° Beam - 20W - 4000K	MA17982	24	2130	88.8
Mina-L 28° Beam - 28W - 3000K	MA17979	35	2485	71.0
Mina-L 28° Beam - 28W - 4000K	MA17983	35	2670	76.3
Mina-L 28° Beam - 35W - 3000K	MA17980	41	3075	75.0
Mina-L 28° Beam - 35W - 4000K	MA17984	41	3305	80.6
Mina-L 41° Beam - 20W - 3000K	MA17986	24	1960	81.7
Mina-L 41° Beam - 20W - 4000K	MA17990	24	2110	87.9
Mina-L 41° Beam - 28W - 3000K	MA17987	35	2460	70.3
Mina-L 41° Beam - 28W - 4000K	MA17991	35	2645	75.6
Mina-L 41° Beam - 35W - 3000K	MA17988	41	3045	74.3
Mina-L 41° Beam - 35W - 4000K	MA17992	41	3275	79.9
Mina-M 30° Beam - 14W - 3000K - Round Version	MA17950	17	1445	85.0
Mina-M 30° Beam - 14W - 3000K - Square Version	MA17958	17	1445	85.0
Mina-M 30° Beam - 14W - 4000K - Round Version	MA17952	17	1555	91.5
Mina-M 30° Beam - 14W - 4000K - Square Version	MA17960	17	1555	91.5
Mina-M 30° Beam - 20W - 3000K - Round Version	MA17951	24	1980	82.5
Mina-M 30° Beam - 20W - 3000K - Square Version	MA17959	24	1980	82.5
Mina-M 30° Beam - 20W - 4000K - Round Version	MA17953	24	2130	88.8
Mina-M 30° Beam - 20W - 4000K - Square Version	MA17961	24	2130	88.8
Mina-M 38° Beam - 14W - 3000K - Round Version	MA17954	17	1430	84.1
Mina-M 38° Beam - 14W - 3000K - Square Version	MA17962	17	1430	84.1
Mina-M 38° Beam - 14W - 4000K - Round Version	MA17956	17	1540	90.6
Mina-M 38° Beam - 14W - 4000K - Square Version	MA17964	17	1540	90.6
Mina-M 38° Beam - 20W - 3000K - Round Version	MA17955	24	1960	81.7
Mina-M 38° Beam - 20W - 3000K - Square Version	MA17963	24	1960	81.7
Mina-M 38° Beam - 20W - 4000K - Round Version	MA17957	24	2110	87.9
Mina-M 38° Beam - 20W - 4000K - Square Version	MA17965	24	2110	87.9
Mina-S 21° Beam - 5W - 3000K - Round Version	MA17930	6	490	81.7
Mina-S 21° Beam - 5W - 3000K - Square Version	MA17938	6	490	81.7
Mina-S 21° Beam - 5W - 4000K - Round Version	MA17932	6	525	87.5
Mina-S 21° Beam - 5W - 4000K - Square Version	MA17940	6	525	87.5
Mina-S 21° Beam - 8W - 3000K - Round Version	MA17931	9	720	80.0
Mina-S 21° Beam - 8W - 3000K - Square Version	MA17939	9	720	80.0
Mina-S 21° Beam - 8W - 4000K - Round Version	MA17933	9	775	86.1
Mina-S 21° Beam - 8W - 4000K - Square Version	MA17941	9	775	86.1
Mina-S 45° Beam - 5W - 3000K - Round Version	MA17934	6	455	75.8
Mina-S 45° Beam - 5W - 3000K - Square Version	MA17942	6	455	75.8
Mina-S 45° Beam - 5W - 4000K - Round Version	MA17936	6	490	81.7
Mina-S 45° Beam - 5W - 4000K - Square Version	MA17944	6	490	81.7
Mina-S 45° Beam - 8W - 3000K - Round Version	MA17935	9	675	75.0
Mina-S 45° Beam - 8W - 3000K - Square Version	MA17943	9	675	75.0
Mina-S 45° Beam - 8W - 4000K - Round Version	MA17937	9	725	80.6
Mina-S 45° Beam - 8W - 4000K - Square Version	MA17945	9	725	80.6
Nemus - 17W - 3000K	NEM18028	20	2015	100.8
Nemus - 17W - 4000K	NEM18030	20	2165	108.3
Nemus - 26W - 3000K	NEM18029	30	2870	95.7
Nemus - 26W - 4000K	NEM18031	30	3085	102.8
Ovix - 10W - 4000K	OV19286	13	1665	128.1
Ovix - 10W - Smart - 4000K	OV19280	13	1665	128.1
Ovix - 17W - 4000K	OV19284	19	2705	142.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Ovix - 17W- Smart - 4000K	OV19281	19	2705	142.4
Ovix - 24W - 4000K	OV19285	27	3685	136.5
Ovix - 24W- Smart - 4000K	OV19282	27	3685	136.5
Passlight Glass - 26W	PL11922	47	1800	23.7
Passlight Glass - 32W	PL11922	47	2400	31.7
Passlight Glass - 42W	PL11922	47	3200	42.2
Passlight Glass - 57W	PL11923	62	4300	43.0
Passlight Glass - 70W	PL6235	86	5600	41.7
Passlight LED Glass Cover - 24W	PL14898	27	2535	93.9
Passlight LED Glass Cover - 24W	PL14898	27	2535	93.9
Passlight LED Glass Cover - 38W	PL14900	40	3440	86.0
Passlight LED Glass Cover - 38W	PL14900	40	3440	86.0
Passlight LED Polycarbonate Cover - 24W	PL14897	27	2335	86.5
Passlight LED Polycarbonate Cover - 24W	PL14897	27	2335	86.5
Passlight LED Polycarbonate Cover - 38W	PL14899	40	3165	79.1
Passlight LED Polycarbonate Cover - 38W	PL14899	40	3165	79.1
Passlight Polycarbonate - 26W	PL11932	47	1800	21.4
Passlight Polycarbonate - 32W	PL11932	47	2400	28.6
Passlight Polycarbonate - 42W	PL11932	47	3200	38.1
Passlight Polycarbonate - 57W	PL11933	62	4300	38.8
Passlight Polycarbonate - 70W	PL6281	86	5600	38.4
Passway 11W Area 1100mm Root Mounted - 3000K	PW20430	14	735	52.5
Passway 11W Area 1100mm Root Mounted - 3000K	PW20430	14	735	52.5
Passway 11W Area 1100mm Root Mounted - 4000K	PW20422	14	875	62.5
Passway 11W Area 1100mm Root Mounted - 4000K	PW20422	14	875	62.5
Passway 11W Area 1100mm Surface Mounted - 3000K	PW20434	14	735	52.5
Passway 11W Area 1100mm Surface Mounted - 3000K	PW20434	14	735	52.5
Passway 11W Area 1100mm Surface Mounted - 4000K	PW20426	14	875	62.5
Passway 11W Area 1100mm Surface Mounted - 4000K	PW20426	14	875	62.5
Passway 11W Area 850mm Root Mounted - 3000K	PW20429	14	735	52.5
Passway 11W Area 850mm Root Mounted - 3000K	PW20429	14	735	52.5
Passway 11W Area 850mm Root Mounted - 4000K	PW20421	14	875	62.5
Passway 11W Area 850mm Root Mounted - 4000K	PW20421	14	875	62.5
Passway 11W Area 850mm Surface Mounted - 3000K	PW20432	14	735	52.5
Passway 11W Area 850mm Surface Mounted - 3000K	PW20432	14	735	52.5
Passway 11W Area 850mm Surface Mounted - 4000K	PW20424	14	875	62.5
Passway 11W Area 850mm Surface Mounted - 4000K	PW20424	14	875	62.5
Passway 11W Pathway 1100mm Root Mounted - 3000K	PW20431	14	655	46.8
Passway 11W Pathway 1100mm Root Mounted - 3000K	PW20431	14	655	46.8
Passway 11W Pathway 1100mm Root Mounted - 4000K	PW20423	14	780	55.7
Passway 11W Pathway 1100mm Root Mounted - 4000K	PW20423	14	780	55.7
Passway 11W Pathway 1100mm Surface Mounted - 3000K	PW20435	14	655	46.8
Passway 11W Pathway 1100mm Surface Mounted - 3000K	PW20435	14	655	46.8
Passway 11W Pathway 1100mm Surface Mounted - 4000K	PW20427	14	780	55.7
Passway 11W Pathway 1100mm Surface Mounted - 4000K	PW20427	14	780	55.7
Passway 11W Pathway 850mm Surface Mounted - 3000K	PW20433	14	655	46.8
Passway 11W Pathway 850mm Surface Mounted - 3000K	PW20433	14	655	46.8
Passway 11W Pathway 850mm Surface Mounted - 4000K	PW20425	14	780	55.7
Passway 11W Pathway 850mm Surface Mounted - 4000K	PW20425	14	780	55.7
Passway 21W Area 1100mm Root Mounted - 3000K	PW20431	25	1255	50.2
Passway 21W Area 1100mm Root Mounted - 3000K	PW20431	25	1255	50.2
Passway 21W Area 1100mm Root Mounted - 4000K	PW20423	25	1495	59.8
Passway 21W Area 1100mm Root Mounted - 4000K	PW20423	25	1495	59.8

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Passway 21W Area 1100mm Surface Mounted - 3000K	PW20435	25	1255	50.2
Passway 21W Area 1100mm Surface Mounted - 3000K	PW20435	25	1255	50.2
Passway 21W Area 1100mm Surface Mounted - 4000K	PW20427	25	1495	59.8
Passway 21W Area 1100mm Surface Mounted - 4000K	PW20427	25	1495	59.8
Passway 21W Area 850mm Surface Mounted - 3000K	PW20433	25	1255	50.2
Passway 21W Area 850mm Surface Mounted - 3000K	PW20433	25	1255	50.2
Passway 21W Area 850mm Surface Mounted - 4000K	PW20425	25	1495	59.8
Passway 21W Area 850mm Surface Mounted - 4000K	PW20425	25	1495	59.8
Passway 5W Pathway 1100mm Root Mounted - 3000K	PW20430	9	380	42.2
Passway 5W Pathway 1100mm Root Mounted - 3000K	PW20430	9	380	42.2
Passway 5W Pathway 1100mm Root Mounted - 4000K	PW20422	9	450	50.0
Passway 5W Pathway 1100mm Root Mounted - 4000K	PW20422	9	450	50.0
Passway 5W Pathway 1100mm Surface Mounted - 3000K	PW20434	9	380	42.2
Passway 5W Pathway 1100mm Surface Mounted - 3000K	PW20434	9	380	42.2
Passway 5W Pathway 1100mm Surface Mounted - 4000K	PW20426	9	450	50.0
Passway 5W Pathway 1100mm Surface Mounted - 4000K	PW20426	9	450	50.0
Passway 5W Pathway 850mm Root Mounted - 3000K	PW20429	9	380	42.2
Passway 5W Pathway 850mm Root Mounted - 3000K	PW20429	9	380	42.2
Passway 5W Pathway 850mm Root Mounted - 4000K	PW20421	9	450	50.0
Passway 5W Pathway 850mm Root Mounted - 4000K	PW20421	9	450	50.0
Passway 5W Pathway 850mm Surface Mounted - 3000K	PW20432	9	380	42.2
Passway 5W Pathway 850mm Surface Mounted - 3000K	PW20432	9	380	42.2
Passway 5W Pathway 850mm Surface Mounted - 4000K	PW20424	9	450	50.0
Passway 5W Pathway 850mm Surface Mounted - 4000K	PW20424	9	450	50.0
Passway EV 11W Pathway 1400mm Surface Mounted - 3000K	PW21T3/P	14	655	46.8
Passway EV 11W Pathway 1400mm Surface Mounted - 3000K	PW21T3/P	14	655	46.8
Passway EV 21W Area 1400mm Surface Mounted - 3000K	PW21T3/A	25	1255	50.2
Passway EV 21W Area 1400mm Surface Mounted - 3000K	PW21T3/A	25	1255	50.2
Passway EV 11W Pathway 1400mm Surface Mounted - 4000K	PW21T4/P	14	780	55.7
Passway EV 11W Pathway 1400mm Surface Mounted - 4000K	PW21T4/P	14	780	55.7
Passway EV 21W Area 1400mm Surface Mounted - 4000K	PW21T4/A	25	1495	59.8
Passway EV 21W Area 1400mm Surface Mounted - 4000K	PW21T4/A	25	1495	59.8
Pitch PRO - 19W - Medium - 3000K - Black	PT19M3B	22	2220	100.9
Pitch PRO - 19W - Medium - 3000K - White	PT19M3W	22	2220	100.9
Pitch PRO - 19W - Medium - 4000K - Black	PT19M4B	22	2395	108.9
Pitch PRO - 19W - Medium - 4000K - White	PT19M4W	22	2395	108.9
Pitch PRO - 19W - Narrow - 3000K - Black	PT19N3B	22	2170	98.6
Pitch PRO - 19W - Narrow - 3000K - White	PT19N3W	22	2170	98.6
Pitch PRO - 19W - Narrow - 4000K - Black	PT19N4B	22	2345	106.6
Pitch PRO - 19W - Narrow - 4000K - White	PT19N4W	22	2345	106.6
Pitch PRO - 19W - Wide - 3000K - Black	PT19W3B	22	2210	100.5
Pitch PRO - 19W - Wide - 3000K - White	PT19W3W	22	2210	100.5
Pitch PRO - 19W - Wide - 4000K - Black	PT19W4B	22	2385	108.4
Pitch PRO - 19W - Wide - 4000K - White	PT19W4W	22	2385	108.4
Pitch PRO - 21W - Medium - 3000K - Black	PT21M3B	23	2420	105.2
Pitch PRO - 21W - Medium - 3000K - White	PT21M3W	23	2420	105.2
Pitch PRO - 21W - Medium - 4000K - Black	PT21M4B	23	2615	113.7
Pitch PRO - 21W - Medium - 4000K - White	PT21M4W	23	2615	113.7
Pitch PRO - 21W - Narrow - 3000K - Black	PT21N3B	23	2370	103.0
Pitch PRO - 21W - Narrow - 3000K - White	PT21N3W	23	2370	103.0
Pitch PRO - 21W - Narrow - 4000K - Black	PT21N4B	23	2560	111.3
Pitch PRO - 21W - Narrow - 4000K - White	PT21N4W	23	2560	111.3
Pitch PRO - 21W - Wide - 3000K - Black	PT21W3B	23	2410	104.8

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Pitch PRO - 21W - Wide - 3000K - White	PT21W3W	23	2410	104.8
Pitch PRO - 21W - Wide - 4000K - Black	PT21W4B	23	2600	113.0
Pitch PRO - 21W - Wide - 4000K - White	PT21W4W	23	2600	113.0
Pitch PRO - 22W - Medium - 3000K - Black	PT22M3B	26	2625	101.0
Pitch PRO - 22W - Medium - 3000K - White	PT22M3W	26	2625	101.0
Pitch PRO - 22W - Medium - 4000K - Black	PT22M4B	26	2830	108.8
Pitch PRO - 22W - Medium - 4000K - White	PT22M4W	26	2830	108.8
Pitch PRO - 22W - Narrow - 3000K - Black	PT22N3B	26	2570	98.8
Pitch PRO - 22W - Narrow - 3000K - White	PT22N3W	26	2570	98.8
Pitch PRO - 22W - Narrow - 4000K - Black	PT22N4B	26	2770	106.5
Pitch PRO - 22W - Narrow - 4000K - White	PT22N4W	26	2770	106.5
Pitch PRO - 22W - Wide - 3000K - Black	PT22W3B	26	2610	100.4
Pitch PRO - 22W - Wide - 3000K - White	PT22W3W	26	2610	100.4
Pitch PRO - 22W - Wide - 4000K - Black	PT22W4B	26	2820	108.5
Pitch PRO - 22W - Wide - 4000K - White	PT22W4W	26	2820	108.5
Pitch-L 17° Beam - 14W - 3000K	PTC18120	18	1455	80.8
Pitch-L 17° Beam - 14W - 4000K	PTC18124	18	1565	86.9
Pitch-L 17° Beam - 20W - 3000K	PTC18121	24	2170	90.4
Pitch-L 17° Beam - 20W - 4000K	PTC18125	24	2335	97.3
Pitch-L 17° Beam - 28W - 3000K	PTC18122	35	2720	77.7
Pitch-L 17° Beam - 28W - 4000K	PTC18126	35	2925	83.6
Pitch-L 17° Beam - 35W - 3000K	PTC18123	41	3370	82.2
Pitch-L 17° Beam - 35W - 4000K	PTC18127	41	3625	88.4
Pitch-L 28° Beam - 14W - 3000K	PTC18128	18	1330	73.9
Pitch-L 28° Beam - 14W - 4000K	PTC18132	18	1430	79.4
Pitch-L 28° Beam - 20W - 3000K	PTC18129	24	1980	82.5
Pitch-L 28° Beam - 20W - 4000K	PTC18133	24	2130	88.8
Pitch-L 28° Beam - 28W - 3000K	PTC18130	35	2485	71.0
Pitch-L 28° Beam - 28W - 4000K	PTC18134	35	2670	76.3
Pitch-L 28° Beam - 35W - 3000K	PTC18131	41	3075	75.0
Pitch-L 28° Beam - 35W - 4000K	PTC18135	41	3305	80.6
Pitch-L 41° Beam - 14W - 3000K	PTC18136	18	1410	78.3
Pitch-L 41° Beam - 14W - 4000K	PTC18140	18	1515	84.2
Pitch-L 41° Beam - 20W - 3000K	PTC18137	24	1960	81.7
Pitch-L 41° Beam - 20W - 4000K	PTC18141	24	2110	87.9
Pitch-L 41° Beam - 28W - 3000K	PTC18138	35	2460	70.3
Pitch-L 41° Beam - 28W - 4000K	PTC18142	35	2645	75.6
Pitch-L 41° Beam - 35W - 3000K	PTC18139	41	3045	74.3
Pitch-L 41° Beam - 35W - 4000K	PTC18143	41	3275	79.9
Pitch-M 19° Beam - 14W - 3000K	PTC18101	17	1385	81.5
Pitch-M 19° Beam - 14W - 4000K	PTC18104	17	1490	87.6
Pitch-M 19° Beam - 20W - 3000K	PTC18102	24	1895	79.0
Pitch-M 19° Beam - 20W - 4000K	PTC18105	24	2040	85.0
Pitch-M 19° Beam - 6W - 3000K	PTC18100	8	640	80.0
Pitch-M 19° Beam - 6W - 4000K	PTC18103	8	690	86.3
Pitch-M 30° Beam - 14W - 3000K	PTC18107	17	1445	85.0
Pitch-M 30° Beam - 14W - 4000K	PTC18110	17	1555	91.5
Pitch-M 30° Beam - 20W - 3000K	PTC18108	24	1980	82.5
Pitch-M 30° Beam - 20W - 4000K	PTC18111	24	2130	88.8
Pitch-M 30° Beam - 6W - 3000K	PTC18106	8	670	83.8
Pitch-M 30° Beam - 6W - 4000K	PTC18109	8	720	90.0
Pitch-M 38° Beam - 14W - 3000K	PTC18113	17	1430	84.1
Pitch-M 38° Beam - 14W - 4000K	PTC18116	17	1540	90.6

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Pitch-M 38° Beam - 20W - 3000K	PTC18114	24	1960	81.7
Pitch-M 38° Beam - 20W - 4000K	PTC18117	24	2110	87.9
Pitch-M 38° Beam - 6W - 3000K	PTC18112	8	665	83.1
Pitch-M 38° Beam - 6W - 4000K	PTC18115	8	715	89.4
Pitlight - 27W - Glass	PG20292	34	4020	118.2
Pitlight - 27W - Polycarbonate	PG20290	34	3865	113.7
Pitlight - 35W - Glass	PG20293	40	5255	131.4
Pitlight - 35W - Polycarbonate	PG20291	40	5055	126.4
Pivitz 17° Beam - 14W - 3000K - With Barn Door	PIV18170	18	1455	80.8
Pivitz 17° Beam - 14W - 3000K - Without Barn Door	PIV18150	18	1455	80.8
Pivitz 17° Beam - 14W - 4000K - With Barn Door	PIV18173	18	1565	86.9
Pivitz 17° Beam - 14W - 4000K - Without Barn Door	PIV18153	18	1565	86.9
Pivitz 17° Beam - 20W - 3000K - With Barn Door	PIV18171	24	2170	90.4
Pivitz 17° Beam - 20W - 3000K - Without Barn Door	PIV18151	24	2170	90.4
Pivitz 17° Beam - 20W - 4000K - With Barn Door	PIV18174	24	2335	97.3
Pivitz 17° Beam - 20W - 4000K - Without Barn Door	PIV18154	24	2335	97.3
Pivitz 17° Beam - 28W - 3000K - With Barn Door	PIV18172	35	2720	77.7
Pivitz 17° Beam - 28W - 3000K - Without Barn Door	PIV18152	35	2720	77.7
Pivitz 17° Beam - 28W - 4000K - With Barn Door	PIV18175	35	2925	83.6
Pivitz 17° Beam - 28W - 4000K - Without Barn Door	PIV18155	35	2925	83.6
Pivitz 28° Beam - 14W - 3000K - With Barn Door	PIV18176	18	1330	73.9
Pivitz 28° Beam - 14W - 3000K - Without Barn Door	PIV18156	18	1330	73.9
Pivitz 28° Beam - 14W - 4000K - With Barn Door	PIV18179	18	1430	79.4
Pivitz 28° Beam - 14W - 4000K - Without Barn Door	PIV18159	18	1430	79.4
Pivitz 28° Beam - 20W - 3000K - With Barn Door	PIV18177	24	1980	82.5
Pivitz 28° Beam - 20W - 3000K - Without Barn Door	PIV18157	24	1980	82.5
Pivitz 28° Beam - 20W - 4000K - With Barn Door	PIV18180	24	2130	88.8
Pivitz 28° Beam - 20W - 4000K - Without Barn Door	PIV18160	24	2130	88.8
Pivitz 28° Beam - 28W - 3000K - With Barn Door	PIV18178	35	2485	71.0
Pivitz 28° Beam - 28W - 3000K - Without Barn Door	PIV18158	35	2485	71.0
Pivitz 28° Beam - 28W - 4000K - With Barn Door	PIV18181	35	2670	76.3
Pivitz 28° Beam - 28W - 4000K - Without Barn Door	PIV18161	35	2670	76.3
Pivitz 41° Beam - 14W - 3000K - With Barn Door	PIV18182	18	1410	78.3
Pivitz 41° Beam - 14W - 3000K - Without Barn Door	PIV18162	18	1410	78.3
Pivitz 41° Beam - 14W - 4000K - With Barn Door	PIV18185	18	1515	84.2
Pivitz 41° Beam - 14W - 4000K - Without Barn Door	PIV18165	18	1515	84.2
Pivitz 41° Beam - 20W - 3000K - With Barn Door	PIV18183	24	1960	81.7
Pivitz 41° Beam - 20W - 3000K - Without Barn Door	PIV18163	24	1960	81.7
Pivitz 41° Beam - 20W - 4000K - With Barn Door	PIV18186	24	2110	87.9
Pivitz 41° Beam - 20W - 4000K - Without Barn Door	PIV18166	24	2110	87.9
Pivitz 41° Beam - 28W - 3000K - With Barn Door	PIV18184	35	2460	70.3
Pivitz 41° Beam - 28W - 3000K - Without Barn Door	PIV18164	35	2460	70.3
Pivitz 41° Beam - 28W - 4000K - With Barn Door	PIV18187	35	2645	75.6
Pivitz 41° Beam - 28W - 4000K - Without Barn Door	PIV18167	35	2645	75.6
Plateau LED - 16W - ColourControl	PU18002CC	17	1900	111.8
Plateau LED - 16W - Smart - ColourActive	PU18809CA	17	1900	111.8
Plateau LED - 31W - ColourControl	PU18003CC	34	3795	111.6
Plateau LED - 31W - Smart - ColourActive	PU18810CA	34	3795	111.6
Plateau LED - 41W - ColourControl	PU19137CC	47	5475	116.5
Plateau LED - 41W - Smart - ColourActive	PU19136CA	47	5475	116.5
Prismalette 360 LED - 16W - Plain - No Photocell - Graphite	PM016PXG	19	2245	118.2
Prismalette 360 LED - 16W - Plain - No Photocell - White	PM016PXW	19	2245	118.2
Prismalette 360 LED - 16W - Plain - Photocell - Graphite	PM016PPG	19	2245	118.2

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Prismalette 360 LED - 16W - Plain - Photocell - White	PM016PPW	19	2245	118.2
Prismalette 360 LED - 4W - Hooded - No Photocell - Graphite	PM004HXG	6	640	106.7
Prismalette 360 LED - 4W - Hooded - No Photocell - White	PM004HXW	6	640	106.7
Prismalette 360 LED - 4W - Hooded - Photocell - Graphite	PM004HPG	6	640	106.7
Prismalette 360 LED - 4W - Hooded - Photocell - White	PM004HPW	6	640	106.7
Prismalette 360 LED - 8W - Hooded - No Photocell - Graphite	PM008HXG	10	1135	113.5
Prismalette 360 LED - 8W - Hooded - No Photocell - White	PM008HXW	10	1135	113.5
Prismalette 360 LED - 8W - Hooded - Photocell - Graphite	PM008HPG	10	1135	113.5
Prismalette 360 LED - 8W - Hooded - Photocell - White	PM008HPW	10	1135	113.5
Prismalette LED Clear Cover - 11W	PS20460	14	1940	138.6
Prismalette LED Clear Cover - 16W	PS20463	20	2650	132.5
Prismalette LED Low Profile Satin Cover - 11W	PS20466	14	1645	117.5
Prismalette LED Low Profile Satin Cover - 16W	PS20468	20	2245	112.3
Prismalette LED Satin Cover - 11W	PS20461	14	1755	125.4
Prismalette LED Satin Cover - 16W	PS20464	20	2395	119.8
Prismalette Pro LED Ceiling Mounted - 16W	PS17313	18	2035	113.1
Prismalette Pro LED Wall Mounted - 12W	PS17312	15	1535	102.3
Primalux Glass - 26W	PX11921	47	1800	28.0
Primalux Glass - 32W	PX11921	47	2400	37.3
Primalux Glass - 42W	PX11921	47	3200	49.7
Primalux Glass - 50W SON-E	PX6537	65	3500	39.3
Primalux Glass - 70W	PX5235	86	5600	47.5
Primalux LED Glass Cover - 20W	PX14933	24	2640	110.0
Primalux LED Glass Cover - 32W	PX14935	34	4255	125.1
Primalux LED Polycarbonate Cover - 20W	PX14932	24	2455	102.3
Primalux LED Polycarbonate Cover - 32W	PX14934	34	4010	117.9
Primalux LED Zone 2 & 22 - 25W	PX17483	26	2795	107.5
Primalux Polycarbonate - 26W	PX11931	47	1800	26.4
Primalux Polycarbonate - 32W	PX11931	47	2400	35.2
Primalux Polycarbonate - 42W	PX11931	47	3200	47.0
Primalux Polycarbonate - 50W SON-E	PX6539	65	3500	37.2
Primalux Polycarbonate - 70W	PX6385	86	5300	42.5
PSL 65 - 46W - Recessed - Assymetric Distribution - 4000K	PSL20314	51	7145	140.1
PSL 65 - 46W - Recessed - Broad Distribution - 4000K	PSL20312	51	7045	138.1
PSL 65 - 46W - Surface - Assymetric Distribution - 4000K	PSL20318	51	7145	140.1
PSL 65 - 46W - Surface - Broad Distribution - 4000K	PSL20316	51	7045	138.1
PSL 65 - 60W - Recessed - Assymetric Distribution - 4000K	PSL20315	66	8785	133.1
PSL 65 - 60W - Recessed - Broad Distribution - 4000K	PSL20313	66	8660	131.2
PSL 65 - 60W - Surface - Assymetric Distribution - 4000K	PSL20319	66	8785	133.1
PSL 65 - 60W - Surface - Broad Distribution - 4000K	PSL20317	66	8660	131.2
Quadline - 19W - 3000K	QL18056	23	1895	82.4
Quadline - 19W - 4000K	QL18058	23	2040	88.7
Quadline - 38W - 3000K	QL18057	44	3795	86.3
Quadline - 38W - 4000K	QL18059	44	4080	92.7
Quadrum - 17W - 3000K	QR18050	20	1875	93.8
Quadrum - 17W - 4000K	QR18053	20	2015	100.8
Quadrum - 26W - 3000K	QR18051	30	2665	88.8
Quadrum - 26W - 4000K	QR18054	30	2865	95.5
Quadrum - 41W - 3000K	QR18052	47	3745	79.7
Quadrum - 41W - 4000K	QR18055	47	4025	85.6
R3 LED Low Glare - 18W - 3000K	RT18221	22	1595	72.5
R3 LED Low Glare - 18W - 3000K	RT18221	22	1595	72.5
R3 LED Low Glare - 18W - 4000K	RT18223	22	1695	77.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
R3 LED Low Glare - 18W - 4000K	RT18223	22	1695	77.0
R3 LED Low Glare - 9W - 3000K	RT18220	10	845	84.5
R3 LED Low Glare - 9W - 3000K	RT18220	10	845	84.5
R3 LED Low Glare - 9W - 4000K	RT18222	10	900	90.0
R3 LED Low Glare - 9W - 4000K	RT18222	10	900	90.0
R3 LED Low Glare Smart - 18W - 3000K	RT18217	22	1595	72.5
R3 LED Low Glare Smart - 18W - 3000K	RT18217	22	1595	72.5
R3 LED Low Glare Smart - 18W - 4000K	RT18219	22	1695	77.0
R3 LED Low Glare Smart - 18W - 4000K	RT18219	22	1695	77.0
R3 LED Low Glare Smart - 9W - 3000K	RT18216	10	845	84.5
R3 LED Low Glare Smart - 9W - 3000K	RT18216	10	845	84.5
R3 LED Low Glare Smart - 9W - 4000K	RT18218	10	900	90.0
R3 LED Low Glare Smart - 9W - 4000K	RT18218	10	900	90.0
R3 LED Opal - 18W - 3000K	RT18205	22	1755	79.8
R3 LED Opal - 18W - 3000K	RT18205	22	1755	79.8
R3 LED Opal - 18W - 4000K	RT18207	22	1865	84.8
R3 LED Opal - 18W - 4000K	RT18207	22	1865	84.8
R3 LED Opal - 9W - 3000K	RT18204	10	950	95.0
R3 LED Opal - 9W - 4000K	RT18206	10	1010	101.0
R3 LED Opal Halo - 18W - 3000K	RT18213	22	1700	77.3
R3 LED Opal Halo - 18W - 3000K	RT18213	22	1700	77.3
R3 LED Opal Halo - 18W - 4000K	RT18215	22	1810	82.3
R3 LED Opal Halo - 18W - 4000K	RT18215	22	1810	82.3
R3 LED Opal Halo - 9W - 3000K	RT18212	10	925	92.5
R3 LED Opal Halo - 9W - 4000K	RT18214	10	985	98.5
R3 LED Opal Halo - 9W - 3000K	RT18212	10	925	92.5
R3 LED Opal Halo Smart - 18W - 3000K	RT18209	22	1700	77.3
R3 LED Opal Halo Smart - 18W - 3000K	RT18209	22	1700	77.3
R3 LED Opal Halo Smart - 18W - 4000K	RT18211	22	1810	82.3
R3 LED Opal Halo Smart - 18W - 4000K	RT18211	22	1810	82.3
R3 LED Opal Halo Smart - 9W - 3000K	RT18208	10	925	92.5
R3 LED Opal Halo Smart - 9W - 3000K	RT18208	10	925	92.5
R3 LED Opal Halo Smart - 9W - 4000K	RT18210	10	985	98.5
R3 LED Opal Smart - 18W - 3000K	RT18201	22	1755	79.8
R3 LED Opal Smart - 18W - 3000K	RT18201	22	1755	79.8
R3 LED Opal Smart - 18W - 4000K	RT18203	22	1865	84.8
R3 LED Opal Smart - 18W - 4000K	RT18203	22	1865	84.8
R3 LED Opal Smart - 9W - 3000K	RT18200	10	950	95.0
R3 LED Opal Smart - 9W - 4000K	RT18202	10	1010	101.0
R4 LED Low Glare - 18W - 3000K	RF18247	22	2090	95.0
R4 LED Low Glare - 18W - 4000K	RF18249	22	2225	101.1
R4 LED Low Glare - 9W - 3000K	RF18246	10	1055	105.5
R4 LED Low Glare - 9W - 4000K	RF18248	10	1115	111.5
R4 LED Low Glare Smart - 18W - 3000K	RF18243	22	2090	95.0
R4 LED Low Glare Smart - 18W - 4000K	RF18245	22	2225	101.1
R4 LED Low Glare Smart - 9W - 3000K	RF18242	10	1055	105.5
R4 LED Low Glare Smart - 9W - 4000K	RF18244	10	1115	111.5
R4 LED Opal - 18W - 3000K	RF18231	22	2305	104.8
R4 LED Opal - 18W - 4000K	RF18233	22	2450	111.4
R4 LED Opal - 9W - 3000K	RF18230	10	1150	115.0
R4 LED Opal - 9W - 4000K	RF18232	10	1215	121.5
R4 LED Opal Halo - 18W - 3000K	RF18239	22	2305	104.8
R4 LED Opal Halo - 18W - 4000K	RF18241	22	2450	111.4

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
R4 LED Opal Halo - 9W - 4000K	RF18240	10	1150	115.0
R4 LED Opal Halo - 9W - 3000K	RF18238	10	1215	121.5
R4 LED Opal Halo Smart - 18W - 3000K	RF18235	22	2240	101.8
R4 LED Opal Halo Smart - 18W - 4000K	RF18237	22	2380	108.2
R4 LED Opal Halo Smart - 9W - 3000K	RF18234	10	1125	112.5
R4 LED Opal Halo Smart - 9W - 4000K	RF18236	10	1195	119.5
R4 LED Opal Smart - 18W - 3000K	RF18227	22	2240	101.8
R4 LED Opal Smart - 18W - 4000K	RF18229	22	2380	108.2
R4 LED Opal Smart - 9W - 3000K	RF18226	10	1125	112.5
R4 LED Opal Smart - 9W - 4000K	RF18228	10	1195	119.5
Radiance - 16W	RAD16404	18	2335	129.7
Radiance - 28W	RAD16405	31	4130	133.2
Radiance - 38W	RAD16406	41	5375	131.1
Radiance - 51W	RAD16407	59	7650	129.7
Radiance 1200 x 300 - 16W	RAD16717	18	2255	125.3
Radiance 1200 x 300 - 28W	RAD16718	31	4010	129.4
Radiance 1200 x 300 - 38W	RAD16719	41	5180	126.3
Radiance 1200 x 300 - 51W	RAD16720	59	7315	124.0
Radiance Corridor LED 24W	RC18820	26	2980	114.6
Radiance Corridor LED 24W - Smart	RC18819	26	2980	114.6
Radiance LG7 - 16W	RAD16725	18	2085	115.8
Radiance LG7 - 28W	RAD16726	31	3715	119.8
Radiance LG7 - 38W	RAD16727	41	4770	116.3
Radiance LG7 - 51W	RAD16728	59	6695	113.5
Radiance LG7 Smart - 16W	RAD16721	18	2085	115.8
Radiance LG7 Smart - 28W	RAD16722	31	3715	119.8
Radiance LG7 Smart - 38W	RAD16723	41	4770	116.3
Radiance LG7 Smart - 51W	RAD16724	59	6695	113.5
Radiance LG7 Surface - 16W	RAD16932	18	2085	115.8
Radiance LG7 Surface - 28W	RAD16933	31	3715	119.8
Radiance LG7 Surface - 38W	RAD16934	41	4770	116.3
Radiance LG7 Surface - 51W	RAD16935	59	6695	113.5
Radiance LG7 Surface Smart - 16W	RAD16928	18	2085	115.8
Radiance LG7 Surface Smart - 28W	RAD16929	31	3715	119.8
Radiance LG7 Surface Smart - 38W	RAD16930	41	4770	116.3
Radiance LG7 Surface Smart - 51W	RAD16931	59	6695	113.5
Radiance Smart - 16W	RAD16400	18	2335	129.7
Radiance Smart - 28W	RAD16401	31	4130	133.2
Radiance Smart - 38W	RAD16402	41	5375	131.1
Radiance Smart - 51W	RAD16403	59	7650	129.7
Radiance Smart 1200 x 300 - 16W	RAD16713	18	2255	125.3
Radiance Smart 1200 x 300 - 28W	RAD16714	31	4010	129.4
Radiance Smart 1200 x 300 - 38W	RAD16715	41	5180	126.3
Radiance Smart 1200 x 300 - 51W	RAD16716	59	7315	124.0
Radiance Surface - 16W	RAD16924	18	2335	129.7
Radiance Surface - 28W	RAD16925	31	4130	133.2
Radiance Surface - 38W	RAD16926	41	5375	131.1
Radiance Surface - 51W	RAD16927	59	7650	129.7
Radiance Surface 1200 x 300 - 51W	RAD17061	59	7315	124.0
Radiance Surface 1200 x 300 - 16W	RAD17058	18	2255	125.3
Radiance Surface 1200 x 300 - 28W	RAD17059	31	4010	129.4
Radiance Surface 1200 x 300 - 38W	RAD17060	41	5180	126.3
Radiance Surface Smart - 16W	RAD16920	18	2255	125.3

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Radiance Surface Smart - 28W	RAD16921	31	4010	129.4
Radiance Surface Smart - 38W	RAD16922	41	5180	126.3
Radiance Surface Smart - 51W	RAD16923	59	7315	124.0
Radiance Surface Smart 1200 x 300 - 51W	RAD17057	59	7315	124.0
Radiance Surface Smart 1200 x 300 - 16W	RAD17054	18	2255	125.3
Radiance Surface Smart 1200 x 300 - 28W	RAD17055	31	4010	129.4
Radiance Surface Smart 1200 x 300 - 38W	RAD17056	41	5180	126.3
Radiance Suspended - 16W	RAD17009	18	2335	129.7
Radiance Suspended - 28W	RAD17010	31	4130	133.2
Radiance Suspended - 38W	RAD17011	41	5375	131.1
Radiance Suspended - 51W	RAD17012	59	7650	129.7
Radiance Suspended 1200x300 - 16W	RAD17017	18	2335	129.7
Radiance Suspended 1200x300 - 28W	RAD17018	31	4130	133.2
Radiance Suspended 1200x300 - 38W	RAD17019	41	5375	131.1
Radiance Suspended 1200x300 - 51W	RAD17020	59	7650	129.7
Radiance Suspended Smart - 16W	RAD17005	18	2335	129.7
Radiance Suspended Smart - 28W	RAD17006	31	4130	133.2
Radiance Suspended Smart - 38W	RAD17007	41	5375	131.1
Radiance Suspended Smart - 51W	RAD17008	59	7650	129.7
Radiance Suspended Smart 1200x300 - 16W	RAD17013	18	2335	129.7
Radiance Suspended Smart 1200x300 - 28W	RAD17014	31	4130	133.2
Radiance Suspended Smart 1200x300 - 38W	RAD17015	41	5375	131.1
Radiance Suspended Smart 1200x300 - 51W	RAD17016	59	7650	129.7
Realta LED - 20W - Area Distribution - Polycarbonate Cover - 4000K	RL19116	23	2840	123.5
Realta LED - 20W - Area Distribution - Polycarbonate Cover - 4000K - Ligature Resistant	RL19116T	23	2840	123.5
Realta LED - 20W - Area Distribution - Polycarbonate Cover - 5700K	RL19119	23	2840	123.5
Realta LED - 20W - Area Distribution - Polycarbonate Cover - 5700K - Ligature Resistant	RL19119T	23	2840	123.5
Realta LED - 20W - Smart - Area Distribution - Polycarbonate Cover - 4000K	RL19110	23	2840	123.5
Realta LED - 20W - Smart - Area Distribution - Polycarbonate Cover - 5700K	RL19113	23	2840	123.5
Realta LED - 34W - Area Distribution - Polycarbonate Cover - 4000K	RL19117	38	4850	127.6
Realta LED - 34W - Area Distribution - Polycarbonate Cover - 4000K - Ligature Resistant	RL19117T	38	4850	127.6
Realta LED - 34W - Area Distribution - Polycarbonate Cover - 5700K	RL19120	38	4850	127.6
Realta LED - 34W - Area Distribution - Polycarbonate Cover - 5700K - Ligature Resistant	RL19120T	38	4850	127.6
Realta LED - 34W - Smart - Area Distribution - Polycarbonate Cover - 4000K	RL19111	38	4850	127.6
Realta LED - 34W - Smart - Area Distribution - Polycarbonate Cover - 5700K	RL19114	38	4850	127.6
Realta LED - 42W - Area Distribution - Polycarbonate Cover - 4000K	RL19118	47	5635	119.9
Realta LED - 42W - Area Distribution - Polycarbonate Cover - 4000K - Ligature Resistant	RL19118T	47	5635	119.9
Realta LED - 42W - Area Distribution - Polycarbonate Cover - 5700K	RL19121	47	5635	119.9
Realta LED - 42W - Area Distribution - Polycarbonate Cover - 5700K - Ligature Resistant	RL19121T	47	5635	119.9
Realta LED - 42W - Smart - Area Distribution - Polycarbonate Cover - 4000K	RL19112	47	5635	119.9
Realta LED - 42W - Smart - Area Distribution - Polycarbonate Cover - 5700K	RL19115	47	5635	119.9
Realta LED - 8W - Smart - Wide Distribution - Polycarbonate Cover - 4000K	RL19069	11	1320	120.0
Realta LED - 8W - Smart - Wide Distribution - Polycarbonate Cover - 5700K	RL19070	11	1320	120.0
Realta LED - 8W - Wide Distribution - Polycarbonate Cover - 4000K	RL19071	11	1320	120.0
Realta LED - 8W - Wide Distribution - Polycarbonate Cover - 4000K - Ligature Resistant	RL19071T	11	1320	120.0
Realta LED - 8W - Wide Distribution - Polycarbonate Cover - 5700K	RL19072	11	1320	120.0
Realta LED - 8W - Wide Distribution - Polycarbonate Cover - 5700K - Ligature Resistant	RL19072T	11	1320	120.0
Realta Micro LED - 6W	RL16607	8	519	64.9

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Sky-Dome LED - 16W - ColourControl	SD17247CC	17	1975	116.2
Sky-Dome LED - 16W - Smart - ColourActive	SD18807CA	17	1975	116.2
Sky-Dome LED - 31W - ColourControl	SD17248CC	34	3865	113.7
Sky-Dome LED - 31W - Smart - ColourActive	SD18808CA	34	3865	113.7
Sky-Dome LED - 41W - ColourControl	SD19139CC	47	5575	118.6
Sky-Dome LED - 41W - Smart - ColourActive	SD19138CA	47	5575	118.6
SkyDome Recessed - 16W - IP40 - 4000K	SD16RM	19	2710	142.6
SkyDome Recessed - 24W - IP40 - 4000K	SD24RM	26	3760	144.6
SkyDome Recessed - 30W - IP40 - 4000K	SD3RM	33	4715	142.9
SkyDome Recessed - 34W - IP40 - 4000K	SD34RM	38	5315	139.9
SkyDome Surface - 16W - IP40 - 4000K	SD16SM	19	2710	142.6
SkyDome Surface - 24W - IP40 - 4000K	SD24SM	26	3760	144.6
SkyDome Surface - 30W - IP40 - 4000K	SD30SM	33	4715	142.9
SkyDome Surface - 34W - IP40 - 4000K	SD34SM	38	5315	139.9
SkyDome Suspended - 16W - IP40 - 4000K	SD16PM	19	2710	142.6
SkyDome Suspended - 24W - IP40 - 4000K	SD24PM	26	3760	144.6
SkyDome Suspended - 30W - IP40 - 4000K	SD30PM	33	4715	142.9
SkyDome Suspended - 34W - IP40 - 4000K	SD34PM	38	5315	139.9
SkyGlo Recessed - 16W - IP40 - 4000K	SG16RM	19	2755	145.0
SkyGlo Recessed - 24W - IP40 - 4000K	SG24RM	26	3820	146.9
SkyGlo Recessed - 30W - IP40 - 4000K	SG30RM	33	4830	146.4
SkyGlo Recessed - 34W - IP40 - 4000K	SG34RM	38	5410	142.4
SkyGlo Surface - 16W - IP40 - 4000K	SG16SM	19	2755	145.0
SkyGlo Surface - 24W - IP40 - 4000K	SG24SM	26	3820	146.9
SkyGlo Surface - 30W - IP40 - 4000K	SG30SM	33	4830	146.4
SkyGlo Surface - 34W - IP40 - 4000K	SG34SM	38	5410	142.4
SkyGlo Suspended - 16W - IP40 - 4000K	SG16PM	19	2755	145.0
SkyGlo Suspended - 24W - IP40 - 4000K	SG24PM	26	3820	146.9
SkyGlo Suspended - 30W - IP40 - 4000K	SG30PM	33	4830	146.4
SkyGlo Suspended - 34W - IP40 - 4000K	SG34PM	38	5410	142.4
SkyPro Recessed - 16W - IP40 - 4000K	SP16RM	19	2705	142.4
SkyPro Recessed - 24W - IP40 - 4000K	SP24RM	26	3750	144.2
SkyPro Recessed - 30W - IP40 - 4000K	SP30RM	33	4745	143.8
SkyPro Recessed - 34W - IP40 - 4000K	SP34RM	38	5315	139.9
SkyPro Surface - 16W - IP40 - 4000K	SP16SM	19	2705	142.4
SkyPro Surface - 24W - IP40 - 4000K	SP24SM	26	3750	144.2
SkyPro Surface - 30W - IP40 - 4000K	SP30SM	33	4745	143.8
SkyPro Surface - 34W - IP40 - 4000K	SP34SM	38	5315	139.9
SkyPro Suspended - 16W - IP40 - 4000K	SP16PM	19	2705	142.4
SkyPro Suspended - 24W - IP40 - 4000K	SP24PM	26	3750	144.2
SkyPro Suspended - 30W - IP40 - 4000K	SP30PM	33	4745	143.8
SkyPro Suspended - 34W - IP40 - 4000K	SP34PM	38	5315	139.9
Solis-L 17° Beam - 17W - 3000K	SOL17832	24	2170	90.4
Solis-L 17° Beam - 17W - 4000K	SOL17836	24	2335	97.3
Solis-L 17° Beam - 28W - 3000K	SOL17833	35	2720	77.7
Solis-L 17° Beam - 28W - 4000K	SOL17837	35	2925	83.6
Solis-L 17° Beam - 35W - 3000K	SOL17834	41	3370	82.2
Solis-L 17° Beam - 35W - 4000K	SOL17838	41	3625	88.4
Solis-L 28° Beam - 17W - 3000K	SOL17840	24	1980	82.5
Solis-L 28° Beam - 17W - 4000K	SOL17844	24	2130	88.8
Solis-L 28° Beam - 28W - 3000K	SOL17841	35	2485	71.0
Solis-L 28° Beam - 28W - 4000K	SOL17845	35	2670	76.3
Solis-L 28° Beam - 35W - 3000K	SOL17842	41	3075	75.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Solis-L 28° Beam - 35W - 4000K	SOL17846	41	3305	80.6
Solis-L 41° Beam - 17W - 3000K	SOL17848	24	1960	81.7
Solis-L 41° Beam - 17W - 4000K	SOL17852	24	2110	87.9
Solis-L 41° Beam - 28W - 3000K	SOL17849	35	2460	70.3
Solis-L 41° Beam - 28W - 4000K	SOL17853	35	2645	75.6
Solis-L 41° Beam - 35W - 3000K	SOL17850	41	3045	74.3
Solis-L 41° Beam - 35W - 4000K	SOL17854	41	3275	79.9
Solis-M 30° Beam - 14W - 3000K	SOL17800	17	1445	85.0
Solis-M 30° Beam - 14W - 4000K	SOL17802	17	1555	91.5
Solis-M 30° Beam - 20W - 3000K	SOL17801	24	1980	82.5
Solis-M 30° Beam - 20W - 4000K	SOL17803	24	2130	88.8
Solis-M 38° Beam - 14W - 3000K	SOL17804	17	1430	84.1
Solis-M 38° Beam - 14W - 4000K	SOL17806	17	1540	90.6
Solis-M 38° Beam - 20W - 3000K	SOL17805	24	1960	81.7
Solis-M 38° Beam - 20W - 4000K	SOL17807	24	2110	87.9
Solow LED Broad - 126W	SWL17375	135	19770	146.4
Solow LED Broad - 189W	SWL17376	202	29655	146.8
Solow LED Broad - 252W	SWL17377	270	39540	146.4
Solow LED Broad HL Smart - 126W	SWL17369	135	19770	146.4
Solow LED Broad HL Smart - 189W	SWL17370	202	29655	146.8
Solow LED Broad HL Smart - 252W	SWL17371	270	39540	146.4
Solow LED Broad Smart - 126W	SWL17363	135	19770	146.4
Solow LED Broad Smart - 189W	SWL17364	202	29655	146.8
Solow LED Broad Smart - 252W	SWL17365	270	39540	146.4
Solow LED Narrow - 126W	SWL17378	135	18830	139.5
Solow LED Narrow - 189W	SWL17379	202	28425	140.7
Solow LED Narrow - 252W	SWL17380	270	37660	139.5
Solow LED Narrow HL Smart - 126W	SWL17372	135	18830	139.5
Solow LED Narrow HL Smart - 189W	SWL17373	202	28425	140.7
Solow LED Narrow HL Smart - 252W	SWL17374	270	37660	139.5
Solow LED Narrow Smart - 126W	SWL17366	135	18830	139.5
Solow LED Narrow Smart - 189W	SWL17367	202	28425	140.7
Solow LED Narrow Smart - 252W	SWL17368	270	37660	139.5
Solow XLED Opal - 112W	SWX19056	119	15950	134.0
Solow XLED Opal - 175W	SWX19057	188	23315	124.0
Solow XLED Opal - 190W	SWX19058	205	27920	136.2
Solow XLED Opal - 215W	SWX19059	229	33450	146.1
Solow XLED Opal - 65W	SWX19055	68	9540	140.3
Solow XLED Opal - Smart - 175W	SWX19052	188	23315	124.0
Solow XLED Opal - Smart - 190W	SWX19053	205	27920	136.2
Solow XLED Opal - Smart - 215W	SWX19054	229	33450	146.1
Solow XLED Opal - Smart - 65W	SWX19050	68	9540	140.3
Solow XLED Opal - Smart- 112W	SWX19051	119	15950	134.0
Starbeam Area - 123W 4000K	SB123A2	132	17435	132.1
Starbeam Area - 161W 4000K	SB161A2	171	21860	127.8
Starbeam Area - 197W 4000K	SB197A2	209	27470	131.4
Starbeam Area - 31W 4000K	SB031A2	35	3225	92.1
Starbeam Area - 31W 4000K	SB031A2	35	3225	92.1
Starbeam Area - 62W 4000K	SB062A2	71	8830	124.4
Starbeam Area - 88W 4000K	SB088A2	95	12570	132.3
Starbeam ECO Area - 31W - 4000K	SB19677	35	4890	139.7
Starbeam ECO Area - 31W - Smart - 4000K	SB19673	35	4890	139.7
Starbeam ECO Area - 48W - 4000K	SB19678	51	7980	156.5

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Starbeam ECO Area - 48W - Smart - 4000K	SB19674	51	7980	156.5
Starbeam ECO Roadway - 31W - 4000K	SB19679	35	5070	144.9
Starbeam ECO Roadway - 31W - Smart - 4000K	SB19675	35	5070	144.9
Starbeam ECO Roadway - 48W - 4000K	SB19680	51	8275	162.3
Starbeam ECO Roadway - 48W - Smart - 4000K	SB19676	51	8275	162.3
Starbeam Plus - 123W Area - 3000K	SM123A23	131	14790	112.9
Starbeam Plus - 123W Area - 4000K	SM123A24	131	17550	134.0
Starbeam Plus - 123W Flood - 3000K	SM123A53	131	15380	117.4
Starbeam Plus - 123W Flood - 4000K	SM123A54	131	18250	139.3
Starbeam Plus - 161W Area - 3000K	SM161A23	171	18085	105.8
Starbeam Plus - 161W Area - 4000K	SM161A24	171	21460	125.5
Starbeam Plus - 161W Flood - 3000K	SM161A53	171	18900	110.5
Starbeam Plus - 161W Flood - 4000K	SM161A54	171	22425	131.1
Starbeam Plus - 197W Area - 3000K	SM197A23	213	23465	110.2
Starbeam Plus - 197W Area - 4000K	SM197A24	213	27845	130.7
Starbeam Plus - 197W Flood - 3000K	SM197A53	213	24285	114.0
Starbeam Plus - 197W Flood - 4000K	SM197A54	213	28820	135.3
Starbeam Plus - 215W Area - 3000K	SM215A23	234	25245	107.9
Starbeam Plus - 215W Area - 4000K	SM215A24	234	29955	128.0
Starbeam Plus - 215W Flood - 3000K	SM215A53	234	26270	112.3
Starbeam Plus - 215W Flood - 4000K	SM215A54	234	31175	133.2
Starbeam Plus - 276W Area - 3000K	SM276A23	297	30645	103.2
Starbeam Plus - 276W Area - 4000K	SM276A24	297	36365	122.4
Starbeam Plus - 276W Flood - 3000K	SM276A53	297	31445	105.9
Starbeam Plus - 276W Flood - 4000K	SM276A54	297	37315	125.6
Starbeam Plus - 31W Area - 3000K	SM031A23	35	3810	108.9
Starbeam Plus - 31W Area - 4000K	SM031A24	35	4520	129.1
Starbeam Plus - 31W Flood - 3000K	SM031A53	35	3975	113.6
Starbeam Plus - 31W Flood - 4000K	SM031A54	35	4715	134.7
Starbeam Plus - 62W Area - 3000K	SM062A23	67	7495	111.9
Starbeam Plus - 62W Area - 4000K	SM062A24	67	8895	132.8
Starbeam Plus - 62W Flood - 3000K	SM062A53	67	7755	115.7
Starbeam Plus - 62W Flood - 4000K	SM062A54	67	9200	137.3
Starbeam Plus - 88W Area - 3000K	SM088A23	94	10860	115.5
Starbeam Plus - 88W Area - 4000K	SM088A24	94	12890	137.1
Starbeam Plus - 88W Flood - 3000K	SM088A53	94	11165	118.8
Starbeam Plus - 88W Flood - 4000K	SM088A54	94	13250	141.0
Starbeam Road - 123W - 4000K	SB123R5	132	19035	144.2
Starbeam Road - 161W 4000K	SB161R5	171	23865	139.6
Starbeam Road - 197W 4000K	SB197R5	209	29995	143.5
Starbeam Road - 31W 4000K	SB031R5	35	3340	95.4
Starbeam Road - 62W 4000K	SB062R5	71	9640	135.8
Starbeam Road - 88W 4000K	SB088R5	95	13725	144.5
Starflood LED - 20W 4000K	STF17569	23	2835	123.3
Starflood LED - 20W 5700K	STF17413	23	2835	123.3
Starflood LED - 20W Smart 4000K	STF17567	23	2835	123.3
Starflood LED - 20W Smart 5700K	STF17410	23	2835	123.3
Starflood LED - 34W 4000K	STF17570	40	4575	114.4
Starflood LED - 34W 5700K	STF17414	40	4575	114.4
Starflood LED - 34W Smart 4000K	STF17568	40	4575	114.4
Starflood LED - 34W Smart 5700K	STF17411	40	4575	114.4
Starflood LED - 42W 4000K	STF17571	47	5400	114.9
Starflood LED - 42W 5700K	STF17415	47	5400	114.9

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Starguard LED - 140W - Smart - 4000K	STG19021	153	18050	118.0
Starguard LED - 140W 4000K	STG17566	153	18050	118.0
Starguard LED - 62W - Smart - 4000K	STG19020	68	8025	118.0
Starguard LED - 62W 4000K	STG17565	68	8025	118.0
Swivix 46° Beam - 9W - 3000K	SWV19734	12	1140	95.0
Swivix 46° Beam - 9W - 4000K	SWV19735	12	1230	102.5
Tau LED 1200x600mm - 76W Smart	TU17207	86	8875	103.2
Tau LED 1200x600mm - 76W	TU17211	86	8875	103.2
Tau LED 1200x600mm - 90W	TU17212	106	10350	97.6
Tau LED 1200x600mm - 90W Smart	TU17208	106	10350	97.6
Tau LED 600x600mm - 45W	TU17209	53	5175	97.6
Tau LED 600x600mm - 45W Smart	TU17205	53	5175	97.6
Tau LED 600x600mm - 54W	TU17210	65	6120	94.2
Tau LED 600x600mm - 54W	TU17210	65	6120	94.2
Tau LED 600x600mm - 54W Smart	TU17206	65	6120	94.2
Tau LED 600x600mm - 54W Smart	TU17206	65	6120	94.2
Tego 30° Beam - 14W - 3000K	TEG18032	17	1445	85.0
Tego 30° Beam - 14W - 3000K	TEG18032	17	1445	85.0
Tego 30° Beam - 14W - 4000K	TEG18034	17	1555	91.5
Tego 30° Beam - 14W - 4000K	TEG18034	17	1555	91.5
Tego 30° Beam - 20W - 3000K	TEG18033	23	1980	86.1
Tego 30° Beam - 20W - 3000K	TEG18033	24	1980	82.5
Tego 30° Beam - 20W - 4000K	TEG18035	23	2130	92.6
Tego 30° Beam - 20W - 4000K	TEG18035	24	2130	88.8
Tego 38° Beam - 14W - 3000K	TEG18036	17	1430	84.1
Tego 38° Beam - 14W - 3000K	TEG18036	17	1430	84.1
Tego 38° Beam - 14W - 4000K	TEG18038	17	1540	90.6
Tego 38° Beam - 14W - 4000K	TEG18038	17	1540	90.6
Tego 38° Beam - 20W - 3000K	TEG18037	23	1960	85.2
Tego 38° Beam - 20W - 3000K	TEG18037	24	1960	81.7
Tego 38° Beam - 20W - 4000K	TEG18039	23	2110	91.7
Tego 38° Beam - 20W - 4000K	TEG18039	24	2110	87.9
Tego IP65 - 14W - 3000K	TEG18044	17	1270	74.7
Tego IP65 - 14W - 3000K	TEG18044	17	1270	74.7
Tego IP65 - 14W - 4000K	TEG18046	17	1365	80.3
Tego IP65 - 14W - 4000K	TEG18046	17	1365	80.3
Tego IP65 - 20W - 3000K	TEG18045	23	1705	74.1
Tego IP65 - 20W - 3000K	TEG18045	24	1705	71.0
Tego IP65 - 20W - 4000K	TEG18047	23	1835	79.8
Tego IP65 - 20W - 4000K	TEG18047	24	1835	76.5
Thoroproof LED - 23W - Smart	TP19775	31	3700	119.4
Thoroproof LED - 23W - Smart	TP19775	31	3700	119.4
Thoroproof LED - 30W - Smart	TP19773	37	4900	132.4
Thoroproof LED - 30W - Smart	TP19773	37	4900	132.4
ThoroProof LED - 46W - Smart	TP19776	53	6625	125.0
Thoroproof LED - 46W - Smart	TP19776	53	6625	125.0
ThoroProof LED - 60W	TP19774	72	9535	132.4
Thoroproof LED - 60W - Smart	TP19774	72	9535	132.4
Thorseal LED Type N (Zones 2 & 22) Broad - 176W	TH20047	192	30000	156.3
Thorseal LED Type N (Zones 2 & 22) Broad - 88W	TH20046	96	15000	156.3
Thorseal LED Type N (Zones 2 & 22) Narrow - 176W	TH20049	192	30000	156.3
Thorseal LED Type N (Zones 2 & 22) Narrow - 88W	TH20048	96	15000	156.3
Tora LED 3000K - 14.9 W/m (4.8m length)	TOR19761	17	935	55.0

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Tora LED 3000K - 14.9 W/m (4.8m length)	TOR19761	17	935	55.0
Tora LED 3000K - 7.1W/m (4.8m length)	TOR19760	8	470	58.8
Tora LED 3000K - 7.1W/m (4.8m length)	TOR19760	8	470	58.8
Tora LED 4000K - 13.8 W/m (4.8m length)	TOR19763	15	950	63.3
Tora LED 4000K - 13.8 W/m (4.8m length)	TOR19763	15	950	63.3
Tora LED 4000K - 6.6 W/m (4.8m length)	TOR19762	8	470	58.8
Tora LED 4000K - 6.6 W/m (4.8m length)	TOR19762	8	470	58.8
Vandalux LED - 27W	VN19942	32	4030	125.9
Vandalux LED - 60W	VN19945	69	7995	115.9
Ventego - 19W	VT17215	22	1635	74.3
Ventego - 19W	VT17215	22	1635	74.3
Ventego - 56W	VT17216	61	5060	83.0
Ventego - 56W	VT17216	61	5060	83.0
Visio - 113W - 800mm - Area Broad	VO113SAB	117	17315	148.0
Visio - 113W - 800mm - Area Medium	VO113SAM	117	18060	154.4
Visio - 113W - 800mm - Rack Medium	VO113SRM	117	17290	147.8
Visio - 113W - 800mm - Rack Narrow	VO113SRN	117	17450	149.1
Visio - 122W - 1400mm - Area Broad	VO122MAB	128	19930	155.7
Visio - 122W - 1400mm - Area Medium	VO122MAM	128	20425	159.6
Visio - 122W - 1400mm - Rack Medium	VO122MRM	128	19880	155.3
Visio - 122W - 1400mm - Rack Narrow	VO122MRN	128	20160	157.5
Visio - 141W - 1400mm - Area Broad	VO141MAB	149	25050	168.1
Visio - 141W - 1400mm - Area Medium	VO141MAM	149	25785	173.1
Visio - 141W - 1400mm - Rack Medium	VO141MRM	149	25015	167.9
Visio - 141W - 1400mm - Rack Narrow	VO141MRN	149	25245	169.4
Visio - 186W - 2000mm - Area Broad	VO186LAB	196	29740	151.7
Visio - 186W - 2000mm - Area Medium	VO186LAM	196	30475	155.5
Visio - 186W - 2000mm - Rack Medium	VO186LRM	196	29665	151.4
Visio - 186W - 2000mm - Rack Narrow	VO186LRN	196	30085	153.5
Visio - 228W - 1400mm - Area Broad	VO228MAB	238	36395	152.9
Visio - 228W - 1400mm - Area Medium	VO228MAM	238	37465	157.4
Visio - 228W - 1400mm - Rack Medium	VO228MRM	238	36345	152.7
Visio - 228W - 1400mm - Rack Narrow	V228RMN	238	36680	154.1
Visio - 268W - 2000mm - Area Broad	VO268LAB	286	45055	157.5
Visio - 268W - 2000mm - Area Medium	VO268LAM	286	46400	162.2
Visio - 268W - 2000mm - Rack Medium	VO268LRM	286	45015	157.4
Visio - 268W - 2000mm - Rack Narrow	VO268LRN	286	45430	158.8
Visio - 334W - 2000mm - Area Broad	VO334LAM	352	54270	154.2
Visio - 334W - 2000mm - Area Medium	VO334LAM	352	55890	158.8
Visio - 334W - 2000mm - Rack Medium	VO334LRM	352	54220	154.0
Visio - 334W - 2000mm - Rack Narrow	VO334LRN	352	54720	155.5
Visio - 364W - 2000mm - Area Broad	VO364LAB	389	56790	146.0
Visio - 364W - 2000mm - Area Medium	VO364LAM	389	58485	150.3
Visio - 364W - 2000mm - Rack Medium	VO364LRM	389	56740	145.9
Visio - 364W - 2000mm - Rack Narrow	VO364LRN	389	57260	147.2
Visio Pro - 113W - 800mm - Area Broad	VP113SAB	117	16485	140.9
Visio Pro - 113W - 800mm - Area Medium	VP113SAM	117	16890	144.4
Visio Pro - 113W - 800mm - Rack Medium	VP113SRM	117	16440	140.5
Visio Pro - 113W - 800mm - Rack Narrow	VP113SRN	117	16670	142.5
Visio Pro - 122W - 1400mm - Area Broad	VP122MAB	128	19930	155.7
Visio Pro - 122W - 1400mm - Area Medium	VP122MAM	128	20425	159.6
Visio Pro - 122W - 1400mm - Rack Medium	VP122MRM	128	19880	155.3
Visio Pro - 122W - 1400mm - Rack Narrow	VP122MRN	128	20160	157.5

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Visio Pro - 141W - 1400mm - Area Broad	VP141MAB	149	23065	154.8
Visio Pro - 141W - 1400mm - Area Medium	VP141MAM	149	23635	158.6
Visio Pro - 141W - 1400mm - Rack Medium	VP141MRM	149	23005	154.4
Visio Pro - 141W - 1400mm - Rack Narrow	VP141MRN	149	23330	156.6
Visio Pro - 186W - 2000mm - Area Broad	VP186LAB	196	29740	151.7
Visio Pro - 186W - 2000mm - Area Medium	VP186LAM	196	30475	155.5
Visio Pro - 186W - 2000mm - Rack Medium	VP186LRM	196	29665	151.4
Visio Pro - 186W - 2000mm - Rack Narrow	VP186LRN	196	30085	153.5
Visio Pro - 228W - 1400mm - Area Broad	VP228MAB	238	33465	140.6
Visio Pro - 228W - 1400mm - Area Medium	VP228MAM	238	34290	144.1
Visio Pro - 228W - 1400mm - Rack Medium	VP228MRM	238	33375	140.2
Visio Pro - 228W - 1400mm - Rack Narrow	VP228RMN	238	33850	142.2
Visio Pro - 268W - 2000mm - Area Broad	VP268LAB	286	40545	141.8
Visio Pro - 268W - 2000mm - Area Medium	VP268LAM	286	41545	145.3
Visio Pro - 268W - 2000mm - Rack Medium	VP268LRM	286	40440	141.4
Visio Pro - 268W - 2000mm - Rack Narrow	VP268LRN	286	41015	143.4
Visio Pro - 334W - 2000mm - Area Broad	VP334LAB	352	48840	138.8
Visio Pro - 334W - 2000mm - Area Medium	VP334LAM	352	50040	142.2
Visio Pro - 334W - 2000mm - Rack Medium	VP334LRM	352	48710	138.4
Visio Pro - 334W - 2000mm - Rack Narrow	VP334LRN	352	49405	140.4
Visio Sport - 113W - 800mm - Area Broad	VS113SAB	117	16485	140.9
Visio Sport - 141W - 1400mm - Area Broad	VS141SAB	149	23065	154.8
Visio Sport - 228W - 1400mm - Area Broad	VS228SAB	238	33465	140.6
Welby XL - 22W - Broad	WX20333	24	4400	183.3
Welby XL - 22W - Narrow	WX20330	24	4470	186.3
Welby XL - 41W - Broad	WX20334	43	7395	172.0
Welby XL - 41W - Narrow	WX20331	43	7530	175.1
Welby XL - 64W - Broad	WX20335	67	10780	160.9
Welby XL - 64W - Narrow	WX20332	67	10975	163.8
Zenith-L 17° Beam - 20W - 3000K	ZEN18080	24	2170	90.4
Zenith-L 17° Beam - 20W - 4000K	ZEN18083	24	2335	97.3
Zenith-L 17° Beam - 28W - 3000K	ZEN18081	35	2720	77.7
Zenith-L 17° Beam - 28W - 4000K	ZEN18084	35	2925	83.6
Zenith-L 17° Beam - 35W - 3000K	ZEN18082	41	3370	82.2
Zenith-L 17° Beam - 35W - 4000K	ZEN18085	41	3625	88.4
Zenith-L 28° Beam - 20W - 3000K	ZEN18086	24	1980	82.5
Zenith-L 28° Beam - 20W - 4000K	ZEN18089	24	2130	88.8
Zenith-L 28° Beam - 28W - 3000K	ZEN18087	35	2485	71.0
Zenith-L 28° Beam - 28W - 4000K	ZEN18090	35	2670	76.3
Zenith-L 28° Beam - 35W - 3000K	ZEN18088	41	3075	75.0
Zenith-L 28° Beam - 35W - 4000K	ZEN18091	41	3305	80.6
Zenith-L 41° Beam - 20W - 3000K	ZEN18092	24	1960	81.7
Zenith-L 41° Beam - 20W - 4000K	ZEN18095	24	2110	87.9
Zenith-L 41° Beam - 28W - 3000K	ZEN18093	35	2460	70.3
Zenith-L 41° Beam - 28W - 4000K	ZEN18096	35	2645	75.6
Zenith-L 41° Beam - 35W - 3000K	ZEN18094	41	3045	74.3
Zenith-L 41° Beam - 35W - 4000K	ZEN18097	41	3275	79.9
Zenith-M 30° Beam - 14W - 3000K	ZEN18070	17	1445	85.0
Zenith-M 30° Beam - 14W - 4000K	ZEN18072	17	1555	91.5
Zenith-M 30° Beam - 20W - 3000K	ZEN18071	24	1980	82.5
Zenith-M 30° Beam - 20W - 4000K	ZEN18073	24	2130	88.8
Zenith-M 38° Beam - 14W - 3000K	ZEN18074	17	1430	84.1
Zenith-M 38° Beam - 14W - 4000K	ZEN18076	17	1540	90.6

Luminaire	Cat. No.	Circuit Watts	Luminaire Lumens	LL/CW
Zenith-M 38° Beam - 20W - 3000K	ZEN18075	24	1960	81.7
Zenith-M 38° Beam - 20W - 4000K	ZEN18077	24	2110	87.9
Zipline Broad - 22W	ZP16428	24	4400	183.3
Zipline Broad - 22W Smart	ZP16420	24	4400	183.3
Zipline Broad - 33W	ZP16429	35	6530	186.6
Zipline Broad - 33W Smart	ZP16421	35	6530	186.6
Zipline Broad - 41W	ZP16430	43	7395	172.0
Zipline Broad - 41W Smart	ZP16422	43	7395	172.0
Zipline Broad - 53W	ZP16431	55	9405	171.0
Zipline Broad - 53W Smart	ZP16423	55	9405	171.0
Zipline Broad - 64W	ZP16601	67	10780	160.9
Zipline Broad - 64W Smart	ZP16600	67	10780	160.9
Zipline Double Asymetric - 22W	ZP16565	24	4525	188.5
Zipline Double Asymetric - 22W Smart	ZP16561	24	4525	188.5
Zipline Double Asymetric - 33W	ZP16566	35	6725	192.1
Zipline Double Asymetric - 33W Smart	ZP16562	35	6725	192.1
Zipline Double Asymetric - 41W	ZP16567	43	7640	177.7
Zipline Double Asymetric - 41W Smart	ZP16563	43	7640	177.7
Zipline Double Asymetric - 53W	ZP16568	55	9695	176.3
Zipline Double Asymetric - 53W Smart	ZP16564	55	9695	176.3
Zipline Double Asymetric - 64W	ZP16605	67	11060	165.1
Zipline Double Asymetric - 64W Smart	ZP16605	67	11060	165.1
Zipline Narrow - 22W	ZP16424	24	4470	186.3
Zipline Narrow - 22W Smart	ZP16416	24	4470	186.3
Zipline Narrow - 33W	ZP16425	35	6655	190.1
Zipline Narrow - 33W Smart	ZP16417	35	6655	190.1
Zipline Narrow - 41W	ZP16426	43	7530	175.1
Zipline Narrow - 41W Smart	ZP16418	43	7530	175.1
Zipline Narrow - 53W	ZP16427	55	9570	174.0
Zipline Narrow - 53W Smart	ZP16419	55	9570	174.0
Zipline Narrow - 64W	ZP16603	67	10975	163.8
Zipline Narrow - 64W Smart	ZP16602	67	10975	163.8